Vol. 111
Index

2004

Author Index

Abdelnoor M. *See* Oppegaard KS.
Abraham-Lerat L. *See* Burguet A.
Abrahams Y. *See* George S.
Abrahams Y. *See* Panoskaltsis T.
Abramovich DR. *See* Haggarty P.
Abrams P. *See* van Kerrebroeck P.
Acharya S. *See* Shetty A.
Adami H-O. *See* Mucci LA.
Adekanmi O. *See* Reed H.
Afnan M. *See* Papaioannou S.
Afschar P, Schöll W, Bader A, Bauer M, Winter R. A prospective randomised trial of atosiban *versus* hexoprenaline for acute tocolysis and intrauterine resuscitation 316
Ahern T. *See* Chowdhury RR.
Ahlborg HG, Johnell O, Karlsson MK. Long term effects of oestrogen therapy on bone loss in postmenopausal women: a 23 year prospective study 335
Akande VA, Cahill DJ, Wardle PG, Rutherford AJ, Jenkins JM. The predictive value of the 'Hull, Rutherford' classification for tubal damage 1236
Akbari A. Glomerular endotheliosis in normal pregnancy and pre-eclampsia 192
Åkerlund M. *See* Steinwall M.
Åkerlund M. *See* Steinwall M.
Akkad A, Jackson C, Kenyon S, Dixon-Woods M, Taub N, Habiba M. Informed consent for elective and emergency surgery: questionnaire study 1133
Akmal S, Kametas N, Tsoi E, Howard R, Nicolaides KH. Ultrasonographic occiput position in early labour in the prediction of caesarean section 532
Aksu TA. *See* Celebioglu B.
Al-Awadhi RM, Mansell E, Chong S, Chow C, Singer A, Coleman DV. Video monitoring of smear-taking at colposcopy: relationship to cytology 967
Al-Azzawi F. *See* Wahab M.
Allardice G. *See* Norman JE.
Allen W. *See* O'Sullivan R.
Almeida PA. *See* Nicopoullos JDM.
Alvarez M. *See* Trujillo Carrillo JL.
Amarin ZO, Obeidat BR. Bed rest *versus* free mobilisation following embryo transfer: a prospective randomised study 1273
Amer SAKS. *See* Saha TK.
Amir LH, Forster D, McLachlan H, Lumley J. Incidence of breast abscess in lactating women: report from an Australian cohort 1378
Anh LTH. *See* Fisher JRW.
Ankardal M, Ekerydh A, Crafoord K, Milsom I, Stjerndahl J-H, Ellström Engh M. A randomised trial comparing open Burch colposuspension using sutures with laparoscopic colposuspension using mesh and staples in women with stress urinary incontinence 974
Ansink AC. *See* van der Houwen C.
Anteby EY. *See* Porat S.
Antonello ICF. *See* de Figueiredo CEP.
Anttila A. *See* Nieminen P.
Armstrong D. *See* Bishop AJ.
Arreghini A. *See* Roncaglia N.
Ashok PW. *See* Hamoda H.
Assi F. *See* Roncaglia N.
Astolfi P. *See* Tentoni S.
Athayde C. *See* Maia Jr H.
Aubry M-C. *See* Ruano R.
Austveg B, Liljestrand J. New global efforts for safer motherhood 397
Ayers S. *See* Manyonda I.
Ayers S. *See* Thakar R.
Bacchus L, Mezey G, Bewley S, Haworth A. Prevalence of domestic violence when midwives routinely enquire in pregnancy 441
Bachmann LM. *See* Honest H.
Bader A. *See* Afschar P.
Baessler K, Bircher MD, Stanton SL. Pelvic floor dysfunction in women after pelvic trauma 499
Baitule SB. *See* Bang RA.
Baker PN. Where is translational research? 395
Bakour SH. *See* Khan KS.
Balchin I, Whittaker JC, Steer PJ, Lamont RF. Are reported preterm birth rates reliable? An analysis of interhospital differences in the calculation of the weeks of gestation at delivery and preterm birth rate 160
Bang AT. *See* Bang RA.
Bang RA, Bang AT, Reddy MH, Deshmukh MD, Baitule SB, Filippi V. Maternal morbidity during labour and the puerperium in rural homes and the need for medical attention: A prospective observational study in Gadchiroli, India 231
Bangdiwala SI. *See* Peedicayil A.
Bar J. *See* Oron G.
Barkehall-Thomas A. *See* Hodges R.
Barrett T. *See* Rizvi F.
Bártfai G. *See* Honkanen H.
Basu A, Dillon RDS, Taylor R, Davison JM, Marshall SM. Is normalisation of serum potassium and magnesium always necessary in Gitelman Syndrome for a successful obstetric outcome? 630
Batool I. *See* Christie J.
Bauer M. *See* Afschar P.
Baviera G. *See* D'Anna R.
Beck-Fruchter R. *See* Weiner Z.
Bell R, Parker L, MacPhail S, Wright C. Trends in the cause of late fetal death, 1982–2000 1400
Belli A-M. *See* Manyonda I.
Belli A-M. *See* Ngeh N.
Bellone S. *See* Santin AD.
Benachi A. *See* Ruano R.
Bendomir A. *See* Haggarty P.
Ben-Haroush A. *See* Oron G.
Bennett P. *See* Jones B.
Ben-Shlomo I. *See* Daniel-Spiegel E.
Bergante C. *See* Spinillo A.
Berger HM. *See* Luykx LM.
Berlin C. *See* Bishop AJ.
Berner M. *See* Boulvain M.
Beverley C. *See* Chilcott J.
Beverley C. *See* Jones ML.
Bewley S. *See* Bacchus L.
Bhattacharya S, Thornton JG. NICE fertility guideline: good news for infertile couples, but who pays the bill? 197
Bhattacharya S. *See* Skea Z.
Bhide A. *See* Prefumo F.
Biancheri D. *See* Spinillo A.
Biffi A. *See* Locatelli A.
Biolcati M. *See* Todros T.
Bircher MD. *See* Baessler K.
Bishop AJ, Marteau TM, Armstrong D, Chitty LS, Longworth L, Buxton MJ, Berlin C. Women and health care professionals' preferences for Down's Syndrome screening tests: a conjoint analysis study 775
Biss J. *See* Saha TK.
Bittaye B. *See* Walraven G.
Blackburn A. *See* Kenyon S.
Blacklock ARE. *See* Griffiths M.

Blad S. *See* Oudijk MA.
Bloom AI, Verstandig A, Gielchinsky Y, Nadjari M, Elchalal U. Arterial embolisation for persistent primary postpartum haemorrhage: before or after hysterectomy? 880
Blot P. *See* Burc L.
Blum J. *See* Ngoc NTN.
Boehlen F, Morales MA, Fontana P, Ricou B, Irion O, de Moerloose P. Prolonged treatment of massive postpartum haemorrhage with recombinant factor VIIa: case report and review of the literature 284
Bongers MY, Bourdrez P, Mol BWJ, Heintz APM, Brölmann HAM. Randomised controlled trial of bipolar radio-frequency endometrial ablation and balloon endometrial ablation 1095
Borst F. *See* Petrou S.
Bossmar T. *See* Steinwall M.
Bossmar T. *See* Steinwall M.
Bossuyt PM. *See* Khan KS.
Botta G. *See* Todros T.
Boulvain M, Perneger TV, Othenin-Girard V, Petrou S, Berner M, Irion O. Home-based *versus* hospital-based postnatal care: a randomised trial 807
Boulvain M. *See* Morales M.
Boulvain M. *See* Petrou S.
Bourdrez P. *See* Bongers MY.
Bourdrez P. *See* Papaioannou S.
Bourne T. *See* Jermy K.
Bouvier-Colle M-H. *See* Wildman K.
Brace V, Penney G, Hall M. Quantifying severe maternal morbidity: a Scottish population study 481
Braude P. *See* Grace J.
Bridgman S. *See* McPherson K.
Brizzi E. *See* Sgambati E.
Brocklehurst P. *See* Gates S.
Brocklehurst P. *See* Gates S.
Brocklehurst P. *See* Kenyon S.
Brodish PH. *See* Kelleher CJ.
Brölmann HAM. *See* Bongers MY.
Bromley SE, de Vries CS, Farmer RDT. Utilisation of hormone replacement therapy in the United Kingdom. A descriptive study using the general practice research database 369
Brouwers EP. *See* Pop VJ.
Brown MA, McHugh L, Mangos G, Davis G. Automated self-initiated blood pressure or 24-hour ambulatory blood pressure monitoring in pregnancy? 38
Brown TIH. *See* Mayooran Z.
Browning A. Prevention of residual urinary incontinence following successful repair of obstetric vesico-vaginal fistula using a fibro-muscular sling 357
Brussel W. *See* Krapels IPC.
Brys P. *See* Debeer P.
Bucourt M. *See* Zeitlin J.
Buddha LL. *See* Reid P.
Buemi M. *See* D'Anna R.
Bulsink MJE. *See* Hanff LM.
Bump RC. *See* van Kerrebroeck P.
Burc L, Volumenie J-L, de Lagausi P, Guibourdenche J, Oury J-F, Vuillard E, Sibony O, Blot P, Saizou C, Luton D. Amniotic fluid inflammatory proteins and digestive compounds profile in fetuses with gastroschisis undergoing amnioexchange 292
Burgess SM. *See* Kelleher CJ.
Burguet A, Kaminski M, Abraham-Lerat L, Schaal J-P, Cambonie G, Fresson J, Grandjean H, Truffert P, Marpeau L, Voyer M, Rozé J-C, Treisser A, Larroque B, the EPIPAGE Study Group. The complex relationship between smoking in pregnancy and very preterm delivery. Results of the Epipage study 258
Burns S. *See* Kitchener HC.
Burrell C, de Swiet M. Severe hyponatraemia and pre-eclampsia 1020
Burrows RF. *See* Ray JG.
Buxton MJ. *See* Bishop AJ.
Cabrol D. *See* Demaria F.
Cadman L. *See* McCaffery K.
Cahill DJ. *See* Akande VA.
Calder A. *See* Guise J.
Calvert J. *See* Saha TK.
Cambonie G. *See* Burguet A.
Cameron CA. *See* Roberts CL.
Cameron M, Hinshaw K. A systematic review of training in acute obstetric emergencies 288
Cameroni I. *See* Roncaglia N.
Campbell BK. *See* Raine-Fenning NJ.
Campbell DM. *See* Haggarty P.
Campbell M. *See* Flannelly G.
Campbell M. *See* Gates S.
Campbell OMR. *See* Harlow SD.
Cannon MJ. *See* Santin AD.
Carbonne B. *See* Papatsonis DNM.
Casbard A. *See* McPherson K.
Celebioglu B, Topatan B, Güler A, Aksu TA. Fatal mesenteric artery thrombus following oocyte retrieval 1301
Ceysens G. *See* Morales M.
Chaliha C, Digesu A, Hutchings A, Soligo M, Khullar V. Caesarean section is protective against stress urinary incontinence: an analysis of women with multiple deliveries 754
Chaliha C. *See* Khan MS.
Chalmers B. Globalisation and perinatal health care 889
Chalmers B. The Baby Friendly Hospital Initiative: where next? 198
Chambers J. *See* Kametas NA.
Chambers J. *See* Williamson C.
Chan LW. *See* Leung TY.
Chapron C. *See* Vercellini P.
Charlett A. *See* Mifsud AJ.
Chen H-J. *See* Hwang J-L.
Chen M-J, Yang J-H, Lin M-C, Ho H-N, Yang Y-S. An unusual gestational choriocarcinoma occurring primarily on the surface of a subserous leiomyoma 188
Chiara A. *See* Spinillo A.
Chilcott J, Tappenden P, Jones ML, Wight J, Forman K, Wray J, Beverley C. The economics of routine antenatal anti-D prophylaxis for pregnant women who are rhesus negative 903
Chilcott J. *See* Jones ML.
Chitty LS. *See* Bishop AJ.
Chong S. *See* Al-Awadhi RM.
Choudhari KA. *See* Choudhari YK.
Choudhari YK, Choudhari KA. Horner's syndrome postpartum 888
Chow C. *See* Al-Awadhi RM.
Chow KM. *See* Lam CM.
Chowdhury RR, Ahern T, Mckenzie-Gray B. Prelabour rupture of the broad ligament in a primigravida 181
Christie J, Batool I, Moss J, Macara L. Adrenal artery rupture in pregnancy 185
Ciriello E. *See* Locatelli A.
Clark D. *See* McInnes RJ.
Clark TJ. *See* Moses SH.
Clark TJ. *See* Wykes CB.
Clarke A. *See* McPherson K.
Clarkson P. *See* Thakar R.
Clewes JS. *See* Raine-Fenning NJ.
Cnattingius S. *See* Mucci LA.
Cnattingius S. *See* Nilsson E.
Cnattingius S. *See* Olausson PO.
Cobellis L. *See* Razzi S.
Cockburn JF. *See* Veerareddy S.
Coleman DV. *See* Al-Awadhi RM.
Coleman MA, Honour JW. Reduced maternal dexamethasone dosage for the prenatal treatment of congenital adrenal hyperplasia 176
Coomarasamy A. *See* Papaioannou S.

Cooper SM, Kirtschig G, Jeffery KJM, Wojnarowska F. No association between hepatitis B or C viruses and vulval lichen planus in a UK population 271
Corrado F. *See* D'Anna R.
Cosgrove DO. *See* D'Arcy TJ.
Coutinho EM. *See* Maia Jr H.
Crafoord K. *See* Ankardal M.
Crawford R. *See* Tsahalina E.
Crisafulli A. *See* D'Anna R.
Critchley H. *See* Guise J.
Crosignani PG. *See* Vercellini P.
Crossley S. *See* Johnson NP.
Crouch N. *See* Gyampoh B.
Crowther CA. *See* Dodd JM.
Cruickshank M. *See* Flannelly G.
Cutner A. *See* Gyampoh B.
Cutner A. *See* Saridogan E.

D'Anna R, Baviera G, Corrado F, Crisafulli A, Ientile R, Buemi M, Squadrito F. Neurokinin B and nitric oxide plasma levels in pre-eclampsia and isolated intrauterine growth restriction 1046
D'Arcy T. *See* Patrick Soutter W.
D'Arcy TJ, Jayaram V, Lynch M, Soutter WP, Cosgrove DO, Harvey CJ, Patel N. Ovarian cancer detected non-invasively by contrast-enhanced power Doppler ultrasound 619
da Costa BEP. *See* de Figueiredo CEP.
Dadi H, Patwardhan SC, Ikomi A, Ojutiku D. Self-induction of labour using misoprostol: an unusual case of uterine hyperstimulation 1018
Daffos F. *See* Mirlesse V.
Daguati R. *See* Vercellini P.
Daling JR. *See* Schiff MA.
Dampha Y. *See* Walraven G.
Danielian P. *See* Shetty A.
Daniel-Spiegel E, Weiner Z, Ben-Shlomo I, Shalev E. For how long should oxytocin be continued during induction of labour? 331
Danish Hysterectomy Group. *See* Gimbel H.
Danso D, Dimitry ES. Perforated 26 weeks pregnant uterus at appendicectomy 628
Davidge ST. *See* Merchant SJ.
Davidi O. *See* Oron G.
Davidson A. *See* Shankar M.
Davies NP. *See* Whitby EH.
Davis G. *See* Brown MA.
Davison JM. *See* Basu A.
De Brouwere V. *See* Ronsmans C.
De Felice C. *See* Todros T.
de Figueiredo CEP, da Costa BEP, Antonello ICF, Galão AO. Glomerular endotheliosis in normal pregnancy and pre-eclampsia 192
de Jong PA. *See* Scheepers HCJ.
de Krester DM. *See* Loose JM.
de Lagausi P. *See* Burc L.
de Moerloose P. *See* Boehlen F.
De Pasquale A. *See* Tentoni S.
De Simone S. *See* Razzi S.
de Swiet M, Lightstone L. Glomerular endotheliosis in normal pregnancy and pre-eclampsia 191
de Swiet M. *See* Burrell C.
de Swiet M. *See* Gorelik J.
de Swiet M. *See* Williamson C.
de Valk HW. *See* Kerssen A.
De Vigan C. *See* Khoshnood B.
de Vries C. *See* Prollius A.
de Vries CS. *See* Bromley SE.
Debeer P, Devlieger R, Brys P, Spitz B. Scapular winging after vaginal delivery 758
Dekker GA. *See* Papatsonis DNM.
Delhommeau F. *See* Mirlesse V.
Demaria F, Goffinet F, Kayem G, Tsatsaris V, Hessabi M, Cabrol D. Monoamniotic twin pregnancies: antenatal management and perinatal results of 19 consecutive cases 22
Desai M. *See* Kitchener HC.
Deshmukh MD. *See* Bang RA.
deSouza NM. *See* Patrick Soutter W.
Devlieger R. *See* Debeer P.
Dhillon AR. *See* Lindow SW.
Diac M, Hanoch J, McIndoe A, Dina R. Keratin induced granulomatous disease of the vagina mimicking a malignant tumour 389
Dieltiens G. *See* Ronsmans C.
Digesu A. *See* Chaliha C.
Dillon RDS. *See* Basu A.
Dimitry ES. *See* Danso D.
Dimmock PW. *See* Wyatt KM.
Dina R. *See* Diac M.
Dina R. *See* Panoskaltsis T.
Dina R. *See* Patrick Soutter W.
Dissanayake VHW, Morgan L, Pipkin FB, Vathanan V, Premaratne S, Jayasekara RW, Seneviratne HR. The urine protein heat coagulation test—a useful screening test for proteinuria in pregnancy in developing countries: a method validation study 491
Dixon-Woods M. *See* Akkad A.
Dixon-Woods M. *See* Kenyon S.
Dobbs SP. *See* Zawislak AA.
Dobson P. *See* Leong A.
Dodd JM, Hedayati H, Pearce E, Hotham N, Crowther CA. Rectal analgesia for the relief of perineal pain after childbirth: a randomised controlled trial of diclofenac suppositories 1059
Dohn B. *See* Oakeshott P.
Dommergues M. *See* Ruano R.
Donaldson O. *See* Williamson C.
Donnelly RF. *See* Zawislak AA.
Doo A. *See* Jermy K.
Doyle P. *See* Simmons R.
Dr Baschat AA. Fetal responses to placental insufficiency: an update 1031
Drife J. Teenage pregnancy: a problem or what? 763
du Plessis A. *See* Prollius A.
Dubourg D. *See* Ronsmans C.
Dudderidge TJ. *See* Haynes SVZ.
Duffy S. *See* Marsh F.
Duley L, Henderson Smart D. Individualising use of aspirin to prevent pre-eclampsia: a framework for clinical decision making 288
Duloxetine Urinary Incontinence Study Group. *See* van Kerrebroeck P.
Dumez Y. *See* Ruano R.
Duncan I. *See* Flannelly G.
Dunn G. *See* Kitchener HC.
Durocher JM. *See* Ngoc NTN.
Duxbury N. *See* Reime B.
Dwyer PL, O'Reilly BA. Transvaginal repair of anterior and posterior compartment prolapse with Atrium polypropylene mesh 831

Eason E, Wells G, Garber G, Hemmings R, Luskey G, Gillett P, Martin M. Antisepsis for abdominal hysterectomy: a randomised controlled trial of povidone–iodine gel 695
Economides DL. *See* Kingman CEC.
Economides DL. *See* Shankar M.
Efstratiou A. *See* Mifsud AJ.
Egan V. *See* Tong S.
Egberts J. *See* Luykx LM.
Einarson A, Maltepe C, Navioz Y, Kennedy D, Tan MP, Koren G.
Ekerydh A. *See* Ankardal M.
El Toukhy T. *See* Grace J.
Elberink R. *See* Hakvoort RA.

Elbourne D. *See* Gates S.
Elchalal U. *See* Bloom AI.
Elfaghi I, Johansson-Ernste B, Rydhstroem H. Rupture of the sphincter ani: the recurrence rate in second delivery 1361
Ellström Engh M. *See* Ankardal M.
El-Shawarby SA, Turner CF, Reddy N, Margara RA, Trew GH, Lavery SA. Pregnancy following monofollicular ovulation induction with recombinant FSH, recombinant LH and timed coitus in an amenorrheic woman with long-standing hypogonadotrophic hypogonadism 1481
Emanuel MH. *See* Hakvoort RA.
English J. *See* Ford J.
Entjes RSW. *See* Reime B.
Entwistle V. *See* Skea Z.
EPIPAGE Study Group *See* Burguet A.
Erdenetungalag R. *See* Honkanen H.
Eschenbach DA. *See* Miller L.
Eskild A. *See* Oppegaard KS.
Espinoza H. *See* Torres-Sánchez L.
Espinoza J. *See* McAuliffe F.
Essed GG. *See* Pop VJ.
Essed GGM. *See* Scheepers HCJ.
Essén B. *See* Rööst M.
Eurenius K. *See* Larsson M.
Evans AS. *See* Lim KCK.
Evans SF. *See* Hagan R.
Evans SF. *See* Quinlivan JA.

Faber R. *See* Walther T.
Fabiana DP. *See* Spinillo A.
Facchinetti F. Factor V Leiden in pregnancies complicated by placental abruption 93
Farmer RDT. *See* Bromley SE.
Faron G. *See* Morales M.
Farquhar CM, Johnson NP. The evidence base for current infertility treatment 1163
Farquhar CM. *See* Johnson NP.
Farrell T. *See* Saha TK.
Fava A. *See* Razzi S.
Fazzi E. *See* Spinillo A.
Fedele L. *See* Vercellini P.
Fenton KA. *See* LaMontagne DS.
Fielding AM. Serum LH analysis: solutions and problems 92
Filippi V. *See* Bang RA.
Fisher JRW, Morrow MM, Ngoc NTN, Anh LTH. Prevalence, nature, severity and correlates of postpartum depressive symptoms in Vietnam 1353
Fisk NM. *See* Miller NM.
Flannelly G, Monaghan J, Cruickshank M, Duncan I, Johnson J, Jordan J, Campbell M, Patnick J. Cervical screening in women over the age of 50: results of a population-based multicentre study 362
Flenady VJ. *See* Papatsonis DNM.
Fletcher I. *See* Kitchener HC.
Flett GMM. *See* Hamoda H.
Fok WY. *See* Leung TY.
Fontana P. *See* Boehlen F.
Ford J, English J, Miles WA, Giannopoulos T. Pain, quality of life and complications following the radical resection of rectovaginal endometriosis 353
Forman K. *See* Chilcott J.
Forman K. *See* Jones ML.
Forrest S. *See* McCaffery K.
Forster D. *See* Amir LH.
Found M. *See* John R.
Fournier C. *See* Papageorgiou TC.
Foy R, Penney GC, Grimshaw JM, Ramsay CR, Walker AE, MacLennan G, Stearns SC, McKenzie L, Glasier A. A randomised controlled trial of a tailored multifaceted strategy to promote implementation of a clinical guideline on induced abortion care 726
Foy R, Ramsay CR, Grimshaw JM, Penney GC, Vale L, Thomson A, Greer IA. The impact of guidelines on mild hypertension in pregnancy: time series analysis 765
Fraser K. *See* Mayooran Z.
Freeman RM. *See* Reed H.
Fresson J. *See* Burguet A.
Fuchs SC. *See* Kreitchmann R.
Furuya K. *See* Matsuda H.
Fynes MM. *See* Karantanis E.

Gaglioti P. *See* Todros T.
Galão AO. *See* de Figueiredo CEP.
Gallery EDM. Glomerular endotheliosis in normal pregnancy and pre-eclampsia 193
Garber G. *See* Eason E.
Gardberg M, Stenwall O, Laakkonen E. Recurrent persistent occipito-posterior position in subsequent deliveries 170
Garside R, Stein K, Wyatt K, Round A, Pitt M. A cost–utility analysis of microwave and thermal balloon endometrial ablation techniques for the treatment of heavy menstrual bleeding 1103
Gasser T. *See* Ochsenbein-Kölble N.
Gates S, Brocklehurst P, Campbell M, Elbourne D. Recruitment to multicentre trials 3
Gates S, Brocklehurst P. How should randomised trials including multiple pregnancies be analysed? 213
Gattei U. *See* Vercellini P.
Gaudoin M. *See* McGalliard C.
Geary M. *See* Rizvi F.
Geerdink J. *See* Luykx LM.
Geirsson RT. Routine ultrasound for pregnancy termination requests increases women's choice and reduces inappropriate treatments 1488
Gembardt F. *See* Walther T.
Gemzell-Danielsson K. *See* Honkanen H.
Georgakapolou A. *See* Thakar R.
George S, Abrahams Y, Karim SZ, Kothari A. Improving the quality of cervical screening 960
Gheri G. *See* Sgambati E.
Ghidini A. *See* Locatelli A.
Ghidini A. *See* Roncaglia N.
Giannopoulos T. *See* Ford J.
Gielchinsky Y. *See* Bloom AI.
Gilboa Y. *See* Oron G.
Gillett P. *See* Eason E.
Gilling-Smith C. *See* Nicopoullos JDM.
Gilmour H. *See* McInnes RJ.
Gimbel H, Gluud C, Tabor A, The Danish Hysterectomy Group. Randomised controlled trial of total versus subtotal hysterectomy with one-year follow up results 760
Glasier A. *See* Foy R.
Glover V. *See* Miller NM.
Gluud C. *See* Gimbel H.
Goffinet F. *See* Demaria F.
Goffinet F. *See* Khoshnood B.
Goffinet F. *See* Papageorgiou TC.
Goldberg JD. Down's Syndrome screening: confusion or consensus? 517
Gopalan S. *See* Honkanen H.
Gorelik J, Shevchuk A, de Swiet M, Lab M, Korchev Y, Williamson C. Comparison of the arrhythmogenic effects of tauro- and glycoconjugates of cholic acid in an *in vitro* study of rat cardiomyocytes 867
Gotch F. *See* Prakash M.
Gottvall K, Grunewald C, Waldenström U. Safety of birth centre care: perinatal mortality over a 10-year period 71
Goujard J. *See* Khoshnood B.
Goulis DG. *See* Williamson C.
Grace J, El Toukhy T, Braude P. Pre-implantation genetic testing 1165

Grandjean H. *See* Burguet A.
Gray ES. *See* Haggarty P.
Greenough A. *See* McAuliffe F.
Greer IA. *See* Foy R.
Griffiths M, Kennedy CR, Rai J, Wilson L, Blacklock ARE, Keay SD. Should cryopreserved epididymal or testicular sperm be recovered from obstructive azoospermic men for ICSI? 1289
Griffiths PD. *See* Whitby EH.
Grimes DA, Smith MS, Witham AD. Mifepristone and misoprostol *versus* dilation and evacuation for midtrimester abortion: a pilot randomised controlled trial 148
Grimshaw JM. *See* Foy R.
Grimshaw JM. *See* Foy R.
Grunewald C. *See* Gottvall K.
Guibert J. *See* Papageorgiou TC.
Guibourdenche J. *See* Burc L.
Guise J, Willock J, Warner P, Calder A, Critchley H. Women's experiences of student presence in consultations for problematic uterine bleeding 871
Güler A. *See* Celebioglu B.
Gupta JK. *See* Honest H.
Gupta JK. *See* Varma R.
Gupta S. Emergency contraception: the journey so far 91
Gyampoh B, Crouch N, O'Brien P, O'Sullivan C, Cutner A. Intrapartum ultrasound estimation of total bladder volume 103

Habiba M. *See* Akkad A.
Habiba M. *See* Shankar M.
Hackshaw AK. *See* Wald NJ.
Hagan R, Evans SF, Pope S. Preventing postnatal depression in mothers of very preterm infants: a randomised controlled trial 641
Haggarty P, Campbell DM, Bendomir A, Gray ES, Abramovich DR. Ponderal index is a poor predictor of *in utero* growth retardation 113
Haglund B. *See* Olausson PO.
Hakama M. *See* Nieminen P.
Hakvoort RA, Elberink R, Vollebregt A, Van der Ploeg T, Emanuel MH. How long should urinary bladder catheterisation be continued after vaginal prolapse surgery? A randomised controlled trial comparing short term *versus* long term catheterisation after vaginal prolapse surgery 828
Hall M. *See* Brace V.
Halmesmäki E. *See* Hilden M.
Hamoda H, Ashok PW, Flett GMM, Templeton A. Analgesia requirements and predictors of analgesia use for women undergoing medical abortion up to 22 weeks of gestation 996
Hancock B. *See* Pisal N.
Hanff LM, Visser W, Roofthooft DWE, Bulsink MJE, Vermes A, Steegers EAP, Vulto AG. Ketanserin in pre-eclamptic patients: transplacental transmission and disposition in neonates 863
Hannah ME. *See* Su M.
Hannah WJ. *See* Su M.
Hanoch J. *See* Diac M.
Hanoch J. *See* Patrick Soutter W.
Hansen MD. *See* Weissman AM.
Hansson S. *See* Steinwall M.
Hargreaves J. *See* McPherson K.
Harlow SD, Campbell OMR. Epidemiology of menstrual disorders in developing countries: a systematic review 6
Harry V. *See* Skea Z.
Hartz AJ. *See* Weissman AM.
Harvey CJ. *See* D'Arcy TJ.
Hawkins E. Research jobs: how good is the training? 1454
Haworth A. *See* Bacchus L.
Hay P. *See* Oakeshott P.
Hay S. *See* Oakeshott P.
Haynes SVZ, Dudderidge TJ. Emergency contraception: the journey so far 91
Healy DL. *See* Mayooran Z.
Hedayati H. *See* Dodd JM.
Heikkilä K, Länsimies E, Hippeläinen M, Heinonen S. A survey of the attitudes of infertile and parous women towards the availability of assisted reproductive technology 1229
Heinonen S. *See* Heikkilä K.
Heintz APM. *See* Bongers MY.
Heintz APM. *See* Roovers J-P WR.
Hellerstein S. *See* Mucci LA.
Hemmings R. *See* Eason E.
Hems LM. *See* Williamson C.
Henderson Smart D. *See* Duley L.
Herbert A. *See* McPherson K.
Hessabi M. *See* Demaria F.
Hewison J. Psychological aspects of integrated testing 519
Higashitsuji H. *See* Murakami T.
Hilden M, Schei B, Swahnberg K, Halmesmäki E, Langhoff-Roos J, Offerdal K, Pikarinen U, Sidenius K, Steingrimsdottir T, Stoum-Hinsverk H, Wijma B. A history of sexual abuse and health: a Nordic multicentre study 1121
Hilden M. *See* Swahnberg K.
Hillan E. *See* McInnes RJ.
Hillhouse EW. *See* Keay SD.
Hinshaw K. *See* Cameron M.
Hippeläinen M. *See* Heikkilä K.
Hirokawa K. *See* Nagata C.
Hirsch R. *See* Oron G.
Ho H-N. *See* Chen M-J.
Ho LC. *See* Lam CM.
Ho PC. *See* Tang OS.
Hod M. *See* Oron G.
Hodges R, Barkehall-Thomas A, Tippett C. Maternal hypoxia associated with nifedipine for threatened preterm labour 380
Hofmeyr J. *See* Walraven G.
Hollis B. *See* Prefumo F.
Holmes KK. *See* Miller L.
Honest H, Bachmann LM, Knox EM, Gupta JK, Kleijnen J, Khan KS. The accuracy of various tests for bacterial vaginosis in predicting preterm birth: a systematic review 409
Honkanen H, Piaggio G, von Hertzen H, Bártfai G, Erdenetungalag R, Gemzell-Danielsson K, Gopalan S, Horga M, Jerve F, Mittal S, Ngoc NTN, Peregoudov A, Prasad RNV, Pretnar-Darovec A, Shah RS, Song S, Tang OS, Wu SC for the WHO Research Group on Post-Ovulatory Methods for Fertility Regulation. WHO multinational study of three misoprostol regimens after mifepristone for early medical abortion. II: Side effects and women's perceptions 715
Honour JW. *See* Coleman MA.
Hopwood J. *See* LaMontagne DS.
Horga M. *See* Honkanen H.
Hotham N. *See* Dodd JM.
Howard R. *See* Akmal S.
Howatson A. *See* Lyon V.
Howe DT. *See* Mulik VV.
Howells REJ. *See* Lim KCK.
Hsieh B-C. *See* Hwang J-L.
Hsieh C-C. *See* Mucci LA.
Huang L-W. *See* Hwang J-L.
Huch A. *See* Ochsenbein-Kölble N.
Huch R. *See* Ochsenbein-Kölble N.
Hughes JP. *See* Miller L.
Hujirat Y. *See* Weiner Z.
Hundley V, Ryan M. Are women's expectations and preferences for intrapartum care affected by the model of care on offer? 550
Husaini SW. *See* Lindow SW.
Husemeyer RP. *See* Yisa SB.
Hutchings A. *See* Chaliha C.

Hwang J-L, Hsieh B-C, Huang L-W, Seow K-M, Pan H-S, Chen H-J. Successful treatment of a cervical pregnancy by intracervical vasopressin 387
Hyppönen E, Power C. An intergenerational study of birthweight: investigating the birth order effect 377

Ide M. *See* Moore S.
Ientile R. *See* D'Anna R.
Ikeda H. *See* Murakami T.
Ikomi A. *See* Dadi H.
Ind TEJ. *See* Panoskaltsis T.
IndiaSAFE Group. *See* Peedicayil A.
Irion O. *See* Boehlen F.
Irion O. *See* Boulvain M.
Irion O. *See* Morales M.
Irion O. *See* Petrou S.
Ismail KMK. *See* Wyatt KM.
Ito K. *See* Murakami T.

Jackson C. *See* Akkad A.
Jackson S. *See* Olagundoye V.
Jackson S. *See* Zaki MM.
Jacquemard F. *See* Mirlesse V.
Jain D. *See* Peedicayil A.
James WH. The sex ratio of pregnancies complicated by hospitalisation for hyperemesis gravidarum 636
Janssens Y. *See* Papageorgiou TC.
Jarrett P. *See* Samwiil L.
Jastrow N. *See* Morales M.
Jayaram V. *See* D'Arcy TJ.
Jayasekara RW. *See* Dissanayake VHW.
Jeffery KJM. *See* Cooper SM.
Jenkin G. *See* Loose JM.
Jenkins JM. *See* Akande VA.
Jensen JS. *See* Oakeshott P.
Jermy K, Thomas J, Doo A, Bourne T. The conservative management of interstitial pregnancy 1283
Jerve F. *See* Honkanen H.
Jerve F. *See* Oppegaard KS.
Jeyaseelan L. *See* Peedicayil A.
JG. Thornton. *BJOG* trainee editors 291
Johansson-Ernste B. *See* Elfaghi I.
John R, Johnson JK, Kukreja S, Found M, Lindow SW. Domestic violence: prevalence and association with gynaecological symptoms 1128
Johnell O. *See* Ahlborg HG.
Johnsdotter S. *See* Rööst M.
Johnson IR. *See* Raine-Fenning NJ.
Johnson J. *See* Flannelly G.
Johnson JK. *See* John R.
Johnson NP, Farquhar CM, Crossley S, Yu Y, Van Peperstraten AM, Sprecher M, Suckling J. A double-blind randomised controlled trial of laparoscopic 950
Johnson NP. *See* Farquhar CM.
Johnson SR. *See* Weissman AM.
Johnston DG. *See* Williamson C.
Jones B, Mohan A, Bennett P. The drugs we deserve 392
Jones ML, Wray J, Wight J, Chilcott J, Forman K, Tappenden P, Beverley C. A review of the clinical effectiveness of routine antenatal anti-D prophylaxis for rhesus-negative women who are pregnant 892
Jones ML. *See* Chilcott J.
Jones PW. *See* Wyatt KM.
Jordan J. *See* Flannelly G.
Joshi VM, Shrivastava M. Partial ischemic necrosis of the uterus following a uterine brace compression suture 279
Joubin L. *See* Ruano R.
Juntunen K, Mäkäräinen L, Kirkinen P. Outcome after a high number (4–10) of repeated caesarean sections 561

Kadir RA. *See* Kingman CEC.
Kadir RA. *See* Shankar M.
Kagan KO, Schmidt M, Kuhn U, Kimmig R. Ventricular outflow obstruction, valve aplasia, bradyarrhythmia, pulmonary hypoplasia and non-immune fetal hydrops because of a large rhabdomyoma in a case of unknown tuberous sclerosis: a prenatal diagnosed cardiac rhabdomyoma with multiple symptoms 1478
Kametas N. *See* Akmal S.
Kametas N. *See* McAuliffe F.
Kametas NA, McAuliffe F, Krampl E, Chambers J, Nicolaides KH. Maternal cardiac function during pregnancy at high altitude 1051
Kaminski M. *See* Burguet A.
Kanhai HHH. *See* Luykx LM.
Kanhai HHH. *See* Scheepers HCJ.
Kanhai HHH. *See* van Gemund N.
Kapembwa MS. *See* Prakash M.
Karantanis E, Fynes MM, Stanton SL. The tension-free vaginal tape in older women 837
Karantanis E. *See* O'Sullivan R.
Karim SZ. *See* George S.
Karlsson MK. *See* Ahlborg HG.
Karram MM. *See* Segal JL.
Karteris E. *See* Keay SD.
Kate-Booij MJT. *See* van der Houwen C.
Kawakami Y. *See* Matsuda H.
Kayem G. *See* Demaria F.
Keay SD, Vatish M, Karteris E, Hillhouse EW, Randeva HS. The role of hCG in reproductive medicine 1218
Keay SD. *See* Griffiths M.
Kehoe ST. *See* Price N.
Kelleher CJ, Pleil AM, Reese PR, Burgess SM, Brodish PH. How much is enough and who says so? The case of the King's Health Questionnaire and overactive bladder 605
Kelly A. *See* Reime B.
Kelly SM. *See* Woodward J.
Kendall NR. *See* Raine-Fenning NJ.
Kennedy CR. *See* Griffiths M.
Kennedy D. *See* Einarson A.
Kenter GG. *See* Maas CP.
Kenyon S, Brocklehurst P, Blackburn A, Taylor DJ. Antenatal screening and intrapartum management of Group B Streptococcus in the UK 226
Kenyon S, Dixon-Woods M. What do they know?: a content analysis of women's perceptions of trial information 1341
Kenyon S. *See* Akkad A.
Kerry S. *See* Oakeshott P.
Kerssen A, de Valk HW, Visser GHA. Day-to-day glucose variability during pregnancy in women with Type 1 diabetes mellitus: glucose profiles measured with the Continuous Glucose Monitoring System 919
Khan KS, Bakour SH, Bossuyt PM. Evidence-based obstetric and gynaecologic diagnosis: the STARD checklist for authors, peer-reviewers and readers of test accuracy studies 638
Khan KS. *See* Honest H.
Khan KS. *See* Lyon V.
Khan KS. *See* Wykes CB.
Khan MS, Chaliha C, Leskova L, Khullar V. The relationship between urinary symptom questionnaires and urodynamic diagnoses: an analysis of two methods of questionnaire administration 468
Khankan AA. *See* Takeda T.
Khaund A, Moss JG, McMillan N, Lumsden MA. Evaluation of the effect of uterine artery embolisation on menstrual blood loss and uterine volume 700
Khoshnood B, De Vigan C, Vodovar V, Goujard J, Goffinet F. A population-based evaluation of the impact of antenatal screening for Down's syndrome in France. 1981–2000 485
Khullar V. *See* Chaliha C.
Khullar V. *See* Khan MS.

Kikuchi Y. *See* Matsuda H.
Killick SR. *See* Lesny P.
Kimmig R. *See* Kagan KO.
King JF. *See* Papatsonis DNM.
Kingman CEC, Kadir RA, Lee CA, Economides DL. The use of levonorgestrel-releasing intrauterine system for treatment of menorrhagia in women with inherited bleeding disorders 1425
Kirkinen P. *See* Juntunen K.
Kirkpatrick C. *See* Morales M.
Kirtschig G. *See* Cooper SM.
Kitchener HC, Burns S, Nelson L, Myers AJ, Fletcher I, Desai M, Dunn G, Maguire P. A randomised controlled trial of cytological surveillance *versus* patient choice between surveillance and colposcopy in managing mildly abnormal cervical smears 63
Klebanoff MA. *See* Zhang J.
Kleeman SD. *See* Segal JL.
Kleijnen J. *See* Honest H.
Klein MC. *See* Reime B.
Knox EM. *See* Honest H.
Korchev Y. *See* Gorelik J.
Koren G. *See* Einarson A.
Kothari A. *See* George S.
Krampl E. *See* Kametas NA.
Krapels IPC, van Rooij IALM, Wevers RA, Zielhuis GA, Spauwen PHM, Brussel W, Steegers-Theunissen RPM. *Myo*-inositol, glucose and zinc status as risk factors for non-syndromic cleft lip with or without cleft palate in offspring: a case–control study 661
Kreitchmann R, Fuchs SC, Suffert T, Preussler G. Perinatal HIV-1 transmission among low income women participants in the HIV/AIDS Control Program in Southern Brazil: a cohort study 579
Kremer C. *See* Marsh F.
Kuhn U. *See* Kagan KO.
Kujansuu E. *See* Stach-Lempinen B.
Kukreja S. *See* John R.
Kwee A. *See* Oudijk MA.

Laakkonen E. *See* Gardberg M.
Laan E. *See* Maas CP.
Lab M. *See* Gorelik J.
Lagiou P. *See* Mucci LA.
Lai ST. *See* Lam CM.
Laippala P. *See* Stach-Lempinen B.
Lam CM, Wong SF, Leung TN, Chow KM, Yu WC, Wong TY, Lai ST, Ho LC. A case-controlled study comparing clinical course and outcomes of pregnant and non-pregnant women with severe acute respiratory syndrome 771
Lam KW, Pun TC, Ng EHY, Wong KS. Efficacy of preemptive analgesia for wound pain after laparoscopic operations in infertile women: a randomised, double-blind and placebo control study 340
Lammes FB. *See* van der Houwen C.
Lamont RF. *See* Balchin I.
LaMontagne DS, Pimenta JM, Fenton KA, Mallinson H, Hopwood J. Management of genital chlamydial infections at termination of pregnancy services in England and Wales: where are we now? 1408
Landau R, Scott JA, Smiley RM. Magnesium-induced vasodilation in the dorsal hand vein 446
Lange R. *See* van Kerrebroeck P.
Langer A. *See* Torres-Sánchez L.
Langhoff-Roos J. *See* Hilden M.
Länsimies E. *See* Heikkilä K.
Larroque B. *See* Burguet A.
Larsson I. *See* Steinwall M.
Larsson M, Eurenius K, Westerling R, Tydén T. Emergency contraceptive pills in Sweden: evaluation of an information campaign 820
Lau TK. *See* Leung TY.
Lau T-K. *See* Leung T-Y.
Lau TK. *See* Tsui MHY.
Lavery SA. *See* El-Shawarby SA.
Lawrence AS. *See* Mayooran Z.
le Cessie S. *See* van Gemund N.
Lee CA. *See* Kingman CEC.
Lee CA. *See* Shankar M.
Leibowitz D. *See* Porat S.
Leong A, Rao J, Opie G, Dobson P. Fetal survival after conservative management of cord prolapse for three weeks 1476
Leskova L. *See* Khan MS.
Lesny P, Killick SR. The junctional zone of the uterus and its contractions 1182
Leung TN. *See* Lam CM.
Leung T-N. *See* Leung T-Y.
Leung T-Y, Lok IH, Tam W-H, Leung T-N, Lau T-K. Deterioration in cord blood gas status during the second stage of labour is more rapid in the second twin than in the first twin 546
Leung TY, Sahota DS, Fok WY, Chan LW, Lau TK. External cephalic version induced fetal cerebral and umbilical blood flow changes are related to the amount of pressure exerted 430
Lhatoo SD. *See* Merrison AFA.
Lichtenstein P. *See* Nilsson E.
Lidfeidt J. *See* Teleman PM.
Lightstone L. *See* de Swiet M.
Liljestrand J. *See* Austveg B.
Liljestrand J. *See* Rööst M.
Lim KCK, Howells REJ, Evans AS. The role of clinical follow up in early stage cervical cancer in South Wales 1444
Lin M-C. *See* Chen M-J.
Lindheimer MD, Mahowald MB. Glomerular endotheliosis in normal pregnancy and pre-eclampsia 191
Lindow SW, Dhillon AR, Husaini SW, Russell IF. A randomised double-blind comparison of epidural fentanyl *versus* fentanyl and bupivicaine for pain relief in the second stage of labour 1075
Lindow SW. *See* John R.
Liston R. *See* Reime B.
Livingstone I. *See* Shetty A.
Locatelli A, Regalia AL, Ghidini A, Ciriello E, Biffi A, Pezzullo JC. Risks of induction of labour in women with a uterine scar from previous low transverse caesarean section 1394
Locatelli A. *See* Roncaglia N.
Loggenberg E. *See* Prollius A.
Lok CAR. *See* van der Houwen C.
Lok IH. *See* Leung T-Y.
Longworth L. *See* Bishop AJ.
Loose JM, Miller SL, Supramaniam VG, Ward JW, O'Connor AE, de Krester DM, Wallace EM, Jenkin G. Hypoxia induced activin secretion by the fetoplacental unit: differential responses related to gestation 1346
López-Carrillo L. *See* Torres-Sánchez L.
Lumley J. *See* Amir LH.
Lumsden MA. *See* Khaund A.
Lupton MGF, Williams DJ. The ethics of research on pregnant women: is maternal consent sufficient? 1307
Luskey G. *See* Eason E.
Lusky A. *See* Riskin A.
Luton D. *See* Burc L.
Luykx LM, Berger HM, Geerdink J, Kanhai HHH, Egberts J. Non-protein-bound iron and free radical damage in fetuses with rhesus haemolytic disease: influence of intrauterine transfusions 303
Lynch M. *See* D'Arcy TJ.
Lyon V, Howatson A, Khan KS, Owen P. Unadjusted and customised weight centiles in the identification of growth restriction among stillborn infants 1460

Maas CP, ter Kuile MM, Laan E, Tuijnman CC, Weijenborg PhThM, Trimbos JB, Kenter GG. Objective assessment of sexual arousal in women with a history of hysterectomy 456

Macara L. *See* Christie J.
Mackey R. *See* Rizvi F.
MacLennan A, Robinson J. Cerebral palsy and clinical negligence litigation: a cohort study 92
MacLennan G. *See* Foy R.
MacLennan G. *See* Skea Z.
Macmillan S. *See* Norman JE.
Maconochie N. *See* Simmons R.
MacPhail S. *See* Bell R.
Magos A. *See* Miskry T.
Maguire P. *See* Kitchener HC.
Mahowald MB. *See* Lindheimer MD.
Mai TTP. *See* Ngoc NTN.
Maia Jr H, Maltez A, Studart E, Athayde C, Coutinho EM. Ki-67, Bcl-2 and p53 expression in endometrial polyps and in the normal endometrium during the menstrual cycle 1242
Mäkäräinen L. *See* Juntunen K.
Maker C. *See* Ogden J.
Mallinson H. *See* LaMontagne DS.
Maltepe C. *See* Einarson A.
Maltez A. *See* Maia Jr H.
Manek S. *See* Olagundoye V.
Mangos G. *See* Brown MA.
Mansell E. *See* Al-Awadhi RM.
Manyonda I, Sinthamoney E, Belli A-M. Controversies and challenges in the modern management of uterine fibroids 95
Manyonda I, Thakar RB, Ayers S. Randomised controlled trial of total compared with subtotal hysterectomy with one-year follow up results 760
Manyonda I. *See* Ngeh N.
Manyonda I. *See* Thakar R.
Maresh M. *See* McPherson K.
Margara RA. *See* El-Shawarby SA.
Maricot P. *See* Petrou S.
Marini M. *See* Sgambati E.
Marpeau L. *See* Burguet A.
Marsh F, Kremer C, Duffy S. Delivering an effective outpatient service in gynaecology. A randomised controlled trial analysing the cost of outpatient *versus* daycase hysteroscopy 243
Marshall SM. *See* Basu A.
Marteau TM. *See* Bishop AJ.
Martin M. *See* Eason E.
Massarenti I. *See* Todros T.
Matsuda H, Kawakami Y, Furuya K, Kikuchi Y. Intrauterine therapy for a cytomegalovirus-infected symptomatic fetus 756
Mattiasson A. *See* Teleman PM.
Maw RD. Treatment of external genital warts with 5% imiquimod cream during pregnancy: a case report 1475
Mayooran Z, Pearce S, Tsaltas J, Rombauts L, Brown TIH, Lawrence AS, Fraser K, Healy DL. Ignorance of electrosurgery among obstetricians and gynaecologists 1413
McAuliffe F, Kametas N, Espinoza J, Greenough A, Nicolaides K. Respiratory function in pregnancy at sea level and at high altitude 311
McAuliffe F. *See* Kametas NA.
McCaffery K, Waller J, Forrest S, Cadman L, Szarewski A, Wardle J. Testing positive for human papillomavirus in routine cervical screening: examination of psychosocial impact 1437
McCarron PA. *See* Zawislak AA.
McCartney AC. *See* Mifsud AJ.
McClelland HR. *See* Zawislak AA.
McCluggage WG. *See* Zawislak AA.
McGalliard C, Gaudoin M. Routine ultrasound for pregnancy termination requests increases women's choice and reduces inappropriate treatments 79
McGarrigle H. *See* Muttukrishna S.
McHugh L. *See* Brown MA.
McIndoe A. *See* Diac M.
McIndoe GA. *See* Patrick Soutter W.
McInnes RJ, Hillan E, Clark D, Gilmour H. Diamorphine for pain relief in labour: a randomised controlled trial comparing intramuscular injection and patient-controlled analgesia 1081
McKenna P. *See* Rizvi F.
McKenzie H. *See* Norman JE.
McKenzie L. *See* Foy R.
Mckenzie-Gray B. *See* Chowdhury RR.
McLachlan H. *See* Amir LH.
McMahon C. *See* Nahum GG.
McMillan L. *See* Norman JE.
McMillan N. *See* Khaund A.
McPherson K, Metcalfe MA, Herbert A, Maresh M, Casbard A, Hargreaves J, Bridgman S, Clarke A. Severe complications of hysterectomy: the VALUE study 688
Mederos JI. *See* Trujillo Carrillo JL.
Meijboom EJ. *See* Oudijk MA.
Meikle S. *See* Zhang J.
Mello G. *See* Sgambati E.
Mercer C. *See* Samwiil L.
Merchant SJ, Davidge ST. The role of matrix metalloproteinases in vascular function: implications for normal pregnancy and pre-eclampsia 931
Merlet F. *See* Papageorgiou TC.
Merrison AFA, Lhatoo SD. Horner's syndrome postpartum 86
Metcalfe MA. *See* McPherson K.
Metsänoja R. *See* Stach-Lempinen B.
Mezey G. *See* Bacchus L.
Mifsud AJ, Efstratiou A, Charlett A, McCartney AC. Early-onset neonatal group B streptococcal infection in London: 1990–1999 1006
Miles WA. *See* Ford J.
Miller L, Thomas K, Hughes JP, Holmes KK, Stout S, Eschenbach DA. Randomised treatment trial of bacterial vaginosis to prevent post-abortion complication 982
Miller NM, Williamson C, Fisk NM, Glover V. Infant cortisol response after prolonged antenatal prednisolone treatment 1471
Miller SL. *See* Loose JM.
Milsom I. *See* Ankardal M.
Milwidsky A. *See* Porat S.
Mirlesse V, Solé Y, Jacquemard F, Delhommeau F, Daffos F. Persistent maternal viremia after varicella infection during pregnancy as a possible cause of false positive prenatal diagnosis of fetal infection on amniotic fluid 885
Miskry T, Magos A. A national survey of senior trainees surgical experience in hysterectomy and attitudes to the place of vaginal hysterectomy 877
Mittal S. *See* Honkanen H.
Mohan A. *See* Jones B.
Mol BW. *See* Mol F.
Mol BWJ. *See* Bongers MY.
Mol BWJ. *See* Papaioannou S.
Mol F, Strandell A, Mol BW. Improved fertility following conservative surgical treatment of ectopic pregnancy 635
MOMS Group. *See* Wildman K.
Monaghan J. *See* Flannelly G.
Moodley J. *See* Pegoraro RJ.
Moore KH. *See* O'Sullivan R.
Moore S, Ide M, Randhawa M, Walker JJ, Reid JG, Simpson NAB. An investigation into the association among preterm birth, cytokine gene polymorphisms and periodontal disease 125
Morales M, Ceysens G, Jastrow N, Viardot C, Faron G, Vial Y, Kirkpatrick C, Irion O, Boulvain M. Spontaneous delivery or manual removal of the placenta during caesarean section: a randomised controlled trial 908
Morales MA. *See* Boehlen F.
Morgan L. *See* Dissanayake VHW.
Morgan R. *See* Ngeh N.
Morishige K-I. *See* Takeda T.

Morrow MM. *See* Fisher JRW.
Moses SH, Clark TJ. Current practice for the laparoscopic diagnosis and treatment of endometriosis: a national questionnaire survey of consultant gynaecologists in UK 1269
Moss J. *See* Christie J.
Moss JG. *See* Khaund A.
Mucci LA, Lagiou P, Hsieh C-C, Tamimi R, Hellerstein S, Vatten L, Adami H-O, Cnattingius S, Trichopoulos D. A prospective study of pregravid oral contraceptive use in relation to fetal growth 989
Mulik VV, Temple KI, Howe DT. Two pregnancies in a woman with Williams syndrome 511
Murakami T, Higashitsuji H, Yoshinaga K, Terada Y, Ito K, Ikeda H. Management of ovarian hyperstimulation due to follicle-stimulating hormone-secreting gonadotroph adenoma 1297
Murata Y. *See* Takeda T.
Murphy KE. *See* Walker MC.
Mutema GK. *See* Segal JL.
Muthugounder S. *See* Santin AD.
Muttukrishna S, Suharjono H, McGarrigle H, Sathanandan M. Inhibin B and anti-Mullerian hormone: markers of ovarian response in IVF/ICSI patients? 1248
Myers AJ. *See* Kitchener HC.

Nadjari M. *See* Bloom AI.
Nagata C, Hirokawa K, Shimizu N, Shimizu H. Soy, fat and other dietary factors in relation to premenstrual symptoms in Japanese women 594
Nahum GG, Stanislaw H, McMahon C. Preventing ectopic pregnancies: how often does transperitoneal transmigration of sperm occur in effecting human pregnancy? 706
Nakade K. *See* Price N.
Navioz Y. *See* Einarson A.
Nel M. *See* Prollius A.
Nelson L. *See* Kitchener HC.
Nerbrand C. *See* Teleman PM.
Nesheim B-I. *See* Oppegaard KS.
Ng EHY. *See* Lam KW.
Ng FF. *See* Tsui MHY.
Ngan Kee WD. *See* Tsui MHY.
Ngeh N, Belli A-M, Morgan R, Manyonda I. Pre-myomectomy uterine artery embolisation minimises operative blood loss 1139
Ngoc NTN, Nhan VQ, Blum J, Mai TTP, Durocher JM, Winikoff B. Is home-based administration of prostaglandin safe and feasible for medical abortion? Results from a multisite study in Vietnam 814
Ngoc NTN. *See* Fisher JRW.
Ngoc NTN. *See* Honkanen H.
Nhan VQ. *See* Ngoc NTN.
Nicolaides K. *See* McAuliffe F.
Nicolaides KH. *See* Akmal S.
Nicolaides KH. *See* Kametas NA.
Nicopoullos JDM, Ramsay JWA, Almeida PA, Gilling-Smith C. Assisted reproduction in the azoospermic couple 1190
Nieminen P, Vuorma S, Viikki M, Hakama M, Anttila A. Comparison of HPV test *versus* conventional and automation-assisted Pap screening as potential screening tools for preventing cervical cancer 842
Nilsson E, Ros HS, Cnattingius S, Lichtenstein P. The importance of genetic and environmental effects for pre-eclampsia and gestational hypertension: a family study 200
Nishii M. *See* Steinwall M.
Noone A. *See* Norman JE.
Norman JE, Wu O, Twaddle S, Macmillan S, McMillan L, Templeton A, McKenzie H, Noone A, Allardice G, Reid M. An evaluation of economics and acceptability of screening for *Chlamydia trachomatis* infection, in women attending antenatal, abortion, colposcopy and family planning clinics in Scotland, UK 1261
Nygård C-H. *See* Stach-Lempinen B.

O'Brien P. *See* Gyampoh B.
O'Brien TJ. *See* Santin AD.
O'Connor AE. *See* Loose JM.
O'Malley S. *See* Samwiil L.
O'Reilly BA. *See* Dwyer PL.
O'Sullivan C. *See* Gyampoh B.
O'Sullivan R, Karantanis E, Stevermuer TL, Allen W, Moore KH. Definition of mild, moderate and severe incontinence on the 24-hour pad test 859
Oakeshott P, Hay P, Taylor-Robinson D, Hay S, Dohn B, Kerry S, Jensen JS. Prevalence of *Mycoplasma genitalium* in early pregnancy and relationship between its presence and pregnancy outcome 1464
Obeidat BR. *See* Amarin ZO.
Ochsenbein-Kölble N, Roos M, Gasser T, Huch R, Huch A, Zimmermann R. Cross sectional study of automated blood pressure measurements throughout pregnancy 319
Oei G. *See* Pop VJ.
Offerdal K. *See* Hilden M.
Ogden J, Maker C. Expectant or surgical management of miscarriage: a qualitative study 463
Ojutiku D. *See* Dadi H.
Okenwa AA. *See* Yisa SB.
Olagundoye V, Jackson S, Manek S. Fatal septicaemia following rupture of a gangrenous fibroid 1141
Olausson PO, Haglund B, Weitoft GR, Cnattingius S. Premature death among teenage mothers 793
Olive E. *See* Roberts CL.
Opie G. *See* Leong A.
Oppegaard KS, Abdelnoor M, Nesheim B-I, Jerve F, Eskild A. The use of oral misoprostol for pre-abortion cervical priming: a randomised controlled trial of 400 *versus* 200 μg in first trimester pregnancies 154
Orlando C. *See* Sgambati E.
Oron G, Hirsch R, Ben-Haroush A, Hod M, Gilboa Y, Davidi O, Bar J. Pregnancy outcome in women with heart disease undergoing induction of labour 669
Osuga K. *See* Takeda T.
Othenin-Girard V. *See* Boulvain M.
Oudijk MA, Kwee A, Visser GHA, Blad S, Meijboom EJ, Rosén KG. The effects of intrapartum hypoxia on the fetal QT interval 656
Oury J-F. *See* Burc L.
Overton TG. *See* Veerareddy S.
Owen P. *See* Lyon V.

Padilla A. *See* Trujillo Carrillo JL.
Paley MNJ. *See* Whitby EH.
Palmieri M. *See* Santin AD.
Pan H-S. *See* Hwang J-L.
Pan S. *See* Walker MC.
Pandian Z, Seckl MJ, Smith R, Russell Lees DA. Gestational choriocarcinoma: an unusual presentation with response to gemcitabine and surgery 382
Pandit M. *See* Zaki MM.
Pankow K. *See* Walther T.
Panoskaltsis T, Ind TEJ, Perryman K, Dina R, Abrahams Y, Patrick Soutter W. Needle *versus* loop diathermy excision of the transformation zone for the treatment of cervical intraepithelial neoplasia: a randomised controlled trial 748
Pantanowitz L. Ligneous cervicitis 635
Papageorgiou TC, Guibert J, Savale M, Goffinet F, Fournier C, Merlet F, Janssens Y, Zorn JR. Low dose recombinant FSH treatment may reduce multiple gestations caused by controlled ovarian hyperstimulation and intrauterine insemination 1277
Papaioannou S, Bourdrez P, Varma R, Afnan M, Mol BWJ, Coomarasamy A. Tubal evaluation in the investigation of subfertility: A structured comparison of tests 1313
Papatsonis DNM, Flenady VJ, Dekker GA, Carbonne B, King JF. Response to 'The drugs we deserve' 1025
Papiernik E. *See* Zeitlin J.

Parker L. *See* Bell R.
Parretti E. *See* Sgambati E.
Parsons J. *See* Sowerby E.
Patel N. *See* D'Arcy TJ.
Patnick J. *See* Flannelly G.
Patrick Soutter W, Hanoch J, D'Arcy T, Dina R, McIndoe GA, deSouza NM. Pretreatment tumour volume measurement on high-resolution magnetic resonance imaging as a predictor of survival in cervical cancer 741
Patrick Soutter W. *See* Panoskaltsis T.
Patterson S. *See* Prakash M.
Patwardhan SC. *See* Dadi H.
Pauls RN. *See* Segal JL.
Pearce E. *See* Dodd JM.
Pearce S. *See* Mayooran Z.
Pecorelli S. *See* Santin AD.
Peebles D. Twin-to-twin transfusion syndrome: treatment with endoscopic laser surgery or serial amnio-reduction? 1305
Peebles DM. Abstracts presented at the competition meeting of the Blair Bell Research Society on the 4–5th December 2003 at the Royal College Obstetricians and Gynaecologists, London 1148
Peedicayil A, Sadowski LS, Jeyaseelan L, Shankar V, Jain D, Suresh S, Bangdiwala SI, the IndiaSAFE Group. Spousal physical violence against women during pregnancy 682
Pegoraro RJ, Roberts CB, Rom L, Moodley J. T594M mutation of the epithelial sodium channel β-subunit gene in pre-eclampsia and eclampsia in Black South African women 1012
Penna L. *See* Prefumo F.
Penney G. *See* Brace V.
Penney GC. *See* Foy R.
Penney GC. *See* Foy R.
Peregoudov A. *See* Honkanen H.
Perneger T. *See* Petrou S.
Perneger TV. *See* Boulvain M.
Perryman K. *See* Panoskaltsis T.
Peters WHM. *See* Raijmakers MTM.
Petraglia F. *See* Razzi S.
Petrou S, Boulvain M, Simon J, Maricot P, Borst F, Perneger T, Irion O. Home-based care after a shortened hospital stay *versus* hospital-based care postpartum: an economic evaluation 800
Petrou S. *See* Boulvain M.
Pezzullo JC. *See* Locatelli A.
Pezzullo JC. *See* Roncaglia N.
Phupong V, Sareepapong W, Witoonpanich P. Evans syndrome and pregnancy: a case report 274
Piaggio G. *See* Honkanen H.
Pikarinen U. *See* Hilden M.
Pilka R. *See* Steinwall M.
Pimenta JM. *See* LaMontagne DS.
Pipkin FB. *See* Dissanayake VHW.
Pisal N, Tidy J, Hancock B. Gestational trophoblastic disease: is intensive follow up essential in all women? 1449
Pitt M. *See* Garside R.
Pleil AM. *See* Kelleher CJ.
Pop VJ, Brouwers EP, Wijnen H, Oei G, Essed GG, Vader HL. Low concentrations of maternal thyroxin during early gestation: a risk factor of breech presentation? 925
Pope S. *See* Hagan R.
Porat S, Leibowitz D, Milwidsky A, Valsky DV, Yagel S, Anteby EY. Transient intracardiac thrombi in amniotic fluid embolism 506
Power C. *See* Hyppönen E.
Prakash M, Patterson S, Gotch F, Kapembwa MS. *Ex vivo* analysis of HIV-1 co-receptors at the endocervical mucosa of women using oral contraceptives 1468
Prasad RNV. *See* Honkanen H.
Prefumo F, Sairam S, Bhide A, Penna L, Hollis B, Thilaganathan B. Maternal ethnic origin and fetal nasal bones at 11–14 weeks of gestation 109
Premaratne S. *See* Dissanayake VHW.
Pretnar-Darovec A. *See* Honkanen H.
Preussler G. *See* Kreitchmann R.
Price JH. *See* Zawislak AA.
Price N, Nakade K, Kehoe ST. A rapidly growing uterine fibroid postpartum 503
Prollius A, de Vries C, Loggenberg E, du Plessis A, Nel M, Wessels PH. Uterine artery embolisation for symptomatic fibroids: the effect of the large uterus on outcome 239
Prompers FJPM. *See* Reime B.
Pun TC. Cornual pregnancy 1487
Pun TC. *See* Lam KW.

Quinlivan JA, Evans SF. Teenage antenatal clinics may reduce the rate of preterm birth: a prospective study 571

Rai J. *See* Griffiths M.
Raijmakers MTM, Roes EM, Zusterzeel PLM, Steegers EAP, Peters WHM. Thiol status and antioxidant capacity in women with a history of severe pre-eclampsia 207
Raine-Fenning NJ, Campbell BK, Clewes JS, Kendall NR, Johnson IR. Defining endometrial growth during the menstrual cycle with three-dimensional ultrasound 944
Ramsay CR. *See* Foy R.
Ramsay CR. *See* Foy R.
Ramsay JWA. *See* Nicopoullos JDM.
Randeva HS. *See* Keay SD.
Randhawa M. *See* Moore S.
Rao J. *See* Leong A.
Rashid M, Rashid RS. Higher order repeat caesarean sections: how safe are five or more? 1090
Rashid RS. *See* Rashid M.
Ravindranath MH. *See* Santin AD.
Ray JG, Singh G, Burrows RF. Evidence for suboptimal use of periconceptional folic acid supplements globally 399
Rayburn WF. *See* Zhang J.
Razzi S, Fava A, Sartini A, De Simone S, Cobellis L, Petraglia F. Treatment of severe recurrent endometriosis with an aromatase inhibitor in a young ovariectomised woman 182
Reddy MH. *See* Bang RA.
Reddy N. *See* El-Shawarby SA.
Reed H, Freeman RM, Waterfield A, Adekanmi O. Prevalence of bladder neck mobility in asymptomatic non-pregnant nulliparous volunteers 172
Reed SD. *See* Schiff MA.
Reese PR. *See* Kelleher CJ.
Regalia AL. *See* Locatelli A.
Reichman B. *See* Riskin A.
Reid JG. *See* Moore S.
Reid M. *See* Norman JE.
Reid P, Buddha LL. Hysteroscopic diagnosis of interstitial ectopic pregnancy 89
Reime B, Klein MC, Kelly A, Duxbury N, Saxell L, Liston R, Prompers FJPM, Entjes RSW, Wong V. Do maternity care provider groups have different attitudes towards birth? 1388
Rice P. *See* Shetty A.
Ricou B. *See* Boehlen F.
Rietbroek RC. *See* van der Houwen C.
Riskin A, Riskin-Mashiah S, Lusky A, Reichman B. The relationship between delivery mode and mortality in very low birthweight singleton vertex-presenting infants 1365
Riskin-Mashiah S. *See* Riskin A.
Rivera L. *See* Zeitlin J.
Rizvi F, Mackey R, Barrett T, McKenna P, Geary M. Successful reduction of massive postpartum haemorrhage by use of guidelines and staff education 495

Roberts CB. *See* Pegoraro RJ.
Roberts CL, Torvaldsen S, Cameron CA, Olive E. Delayed *versus* early pushing in women with epidural analgesia: a systematic review and meta-analysis 1333
Robinson J. *See* MacLennan A.
Rodeck C. *See* Wald NJ.
Roes EM. *See* Raijmakers MTM.
Rom L. *See* Pegoraro RJ.
Roman J. *See* Santin AD.
Rombauts L. *See* Mayooran Z.
Roncaglia N, Locatelli A, Arreghini A, Assi F, Cameroni I, Pezzullo JC, Ghidini A. A randomised controlled trial of ursodeoxycholic acid and S-adenosyl-L-methionine in the treatment of gestational cholestasis 17
Ronsmans C, De Brouwere V, Dubourg D, Dieltiens G. Measuring the need for life-saving obstetric surgery in developing countries 1027
Roofthooft DWE. *See* Hanff LM.
Roos M. *See* Ochsenbein-Kölble N.
Rööst M, Johnsdotter S, Liljestrand J, Essén B. A qualitative study of conceptions and attitudes regarding maternal mortality among traditional birth attendants in rural Guatemala 1372
Roovers J-P WR, van der Vaart CH, van der Bom JG, van Leeuwen JHS, Scholten PC, Heintz APM. A randomised controlled trial comparing abdominal and vaginal prolapse surgery: effects on urogenital function 50
Ros HS. *See* Nilsson E.
Rosén KG. *See* Oudijk MA.
Ross S. *See* Su M.
Round A. *See* Garside R.
Rozé J-C. *See* Burguet A.
Ruano R, Benachi A, Joubin L, Aubry M-C, Thalabard J-C, Dumez Y, Dommergues M. Three-dimensional ultrasonographic assessment of fetal lung volume as prognostic factor in isolated congenital diaphragmatic hernia 423
Rudnicka A. *See* Wald NJ.
Russell IF. *See* Lindow SW.
Russell Lees DA. *See* Pandian Z.
Rutherford AJ. *See* Akande VA.
Rutter S. *See* Whitby EH.
Ryan M. *See* Hundley V.
Rydhstroem H. *See* Elfaghi I.

Sabin CA. *See* Shankar M.
Sacks G, Trew G. Reconstruction, destruction and IVF: dilemmas in the art of tubal surgery 1174
Sadowski LS. *See* Peedicayil A.
Saha TK, Amer SAKS, Biss J, Thakare H, Williams S, Farrell T, Calvert J. The validity of transvaginal ultrasound measurement of endometrial thickness: a comparison of ultrasound measurement with direct anatomical measurement 1419
Sahota DS. *See* Leung TY.
Sairam S. *See* Prefumo F.
Saizou C. *See* Burc L.
Samsioe G. *See* Teleman PM.
Samwiil L, Mercer C, Jarrett P, O'Malley S. Blood pressure and urinalysis are often omitted in women who have suffered pre-eclampsia at their six-week postnatal check 623
Santin AD, Ravindranath MH, Bellone S, Muthugounder S, Palmieri M, O'Brien TJ, Roman J, Cannon MJ, Pecorelli S. Increased levels of gangliosides in the plasma and ascitic fluid of patients with advanced ovarian cancer 613
Sareepapong W. *See* Phupong V.
Saridogan E, Cutner A. The use of McCartney tube during total laparoscopic hysterectomy for gender reassignment: a report of two cases 277
Sartini A. *See* Razzi S.
Sathanandan M. *See* Muttukrishna S.
Savale M. *See* Papageorgiou TC.
Saxell L. *See* Reime B.
Schaal J-P. *See* Burguet A.
Scheepers HCJ, de Jong PA, Essed GGM, Kanhai HHH. Carbohydrate solution intake during labour just before the start of the second stage: a double-blind study on metabolic effects and clinical outcome 1382
Schei B. *See* Hilden M.
Schei B. *See* Swahnberg K.
Scherjon S. *See* van Gemund N.
Schiff MA, Reed SD, Daling JR. The sex ratio of pregnancies complicated by hospitalisation for hyperemesis gravidarum 27
Schmidt M. *See* Kagan KO.
Schöll W. *See* Afschar P.
Scholten PC. *See* Roovers J-P WR.
Schultheiss H-P. *See* Walther T.
Scott JA. *See* Landau R.
Seckl MJ. *See* Pandian Z.
Segal JL, Silva WA, Pauls RN, Kleeman SD, Mutema GK, Karram MM. Transection of a colonic diverticulum during enterocele repair 1485
Seneviratne HR. *See* Dissanayake VHW.
Seow K-M. *See* Hwang J-L.
Sgambati E, Marini M, Zappoli Thyrion GD, Parretti E, Mello G, Orlando C, Simi L, Tricarico C, Gheri G, Brizzi E. VEGF expression in the placenta from pregnancies complicated by hypertensive disorders 564
Shah RS. *See* Honkanen H.
Shalev E. *See* Daniel-Spiegel E.
Shalev E. *See* Weiner Z.
Shalev SA. *See* Weiner Z.
Shankar M, Davidson A, Taub N, Habiba M. Randomised comparison of distension media for outpatient hysteroscopy 57
Shankar M, Lee CA, Sabin CA, Economides DL, Kadir RA. von Willebrand disease in women with menorrhagia: a systematic review 734
Shankar V. *See* Peedicayil A.
Shaughn O'Brien PM. *See* Wyatt KM.
Shetty A, Livingstone I, Acharya S, Rice P, Danielian P, Templeton A. A randomised comparison of oral misoprostol and vaginal prostaglandin E_2 tablets in labour induction at term 436
Shevchuk A. *See* Gorelik J.
Shimizu H. *See* Nagata C.
Shimizu N. *See* Nagata C.
Shrivastava M. *See* Joshi VM.
Sibony O. *See* Burc L.
Sidenius K. *See* Hilden M.
Siems W-E. *See* Walther T.
Silva WA. *See* Segal JL.
Simi L. *See* Sgambati E.
Simmons R, Doyle P, Maconochie N. Dramatic reduction in triplet and higher order births in England and Wales 856
Simon J. *See* Petrou S.
Simpson NAB. *See* Moore S.
Singer A. *See* Al-Awadhi RM.
Singh A. *See* Williams KP.
Singh G. *See* Ray JG.
Sinha A, Thirumalaikumar L, Sorinola OO. Bowel evisceration through a ring pessary 1023
Sinthamoney E. *See* Manyonda I.
Skea Z, Harry V, Bhattacharya S, Entwistle V, Williams B, MacLennan G, Templeton A. Women's perceptions of decision-making about hysterectomy 133
Skjærven R. *See* Vatten LJ.
Slack M. *See* van Kerrebroeck P.
Smiley RM. *See* Landau R.
Smith MS. *See* Grimes DA.
Smith R. *See* Pandian Z.
Solé Y. *See* Mirlesse V.

Soligo M. *See* Chaliha C.
Song S. *See* Honkanen H.
Sorinola OO. *See* Sinha A.
Soutter WP. *See* D'Arcy TJ.
Sowe M. *See* Walraven G.
Sowerby E, Parsons J. The NICE guidelines: timing of progesterone assays to detect ovulation 1159
Spauwen PHM. *See* Krapels IPC.
Spinillo A, Chiara A, Bergante C, Biancheri D, Fabiana DP, Fazzi E. Obstetric risk factors and persistent increases in brain parenchymal echogenicity in preterm infants 913
Spitz B. *See* Debeer P.
Sprecher M. *See* Johnson NP.
Sprigg A. *See* Whitby EH.
Squadrito F. *See* D'Anna R.
Sriemevan A. *See* Veerareddy S.
Stach-Lempinen B, Nygård C-H, Laippala P, Metsänoja R, Kujansuu E. Is physical activity influenced by urinary incontinence? 475
Stanislaw H. *See* Nahum GG.
Stanton S. *See* Thakar R.
Stanton SL. *See* Baessler K.
Stanton SL. *See* Karantanis E.
Stearns SC. *See* Foy R.
Steegers EAP. *See* Hanff LM.
Steegers EAP. *See* Raijmakers MTM.
Steegers-Theunissen RPM. *See* Krapels IPC.
Steer PJ. *See* Balchin I.
Stein K. *See* Garside R.
Steingrimsdottir T. *See* Hilden M.
Steinwall M, Åkerlund M, Bossmar T, Nishii M, Wright M. ONO-8815Ly, an EP2 agonist that markedly inhibits uterine contractions in women 120
Steinwall M, Hansson S, Bossmar T, Larsson I, Pilka R, Åkerlund M. Oxytocin mRNA content in the endometrium of non-pregnant women 266
Stenwall O. *See* Gardberg M.
Stepan H. *See* Walther T.
Stevermuer TL. *See* O'Sullivan R.
Stjerndahl J-H. *See* Ankardal M.
Stoum-Hinsverk H. *See* Hilden M.
Stout S. *See* Miller L.
Strandell A. *See* Mol F.
Studart E. *See* Maia Jr H.
Su M, Hannah WJ, Willan A, Ross S, Hannah ME. Planned caesarean section decreases the risk of adverse perinatal outcome due to both labour and delivery complications in the Term Breech Trial 1065
Suckling J. *See* Johnson NP.
Suffert T. *See* Kreitchmann R.
Suharjono H. *See* Muttukrishna S.
Supramaniam VG. *See* Loose JM.
Suresh S. *See* Peedicayil A.
Swahnberg K, Wijma B, Wingren G, Hilden M, Schei B. Women's perceived experiences of abuse in the health care system: their relationship to childhood abuse 1429
Swahnberg K. *See* Hilden M.
Swarbrick R. Emergency contraception: the journey so far 91
Szarewski A. *See* McCaffery K.

Tabor A. *See* Gimbel H.
Taifour Suliman M. Expulsion of fetal bones through the rectum after abdominal pregnancy 626
Takeda T, Osuga K, Morishige K-I, Khankan AA, Tasaka K, Murata Y. A case of generalised oedema secondary to uterine artery embolisation for leiomyomata 179
Tam W-H. *See* Leung T-Y.
Tamimi R. *See* Mucci LA.
Tan MP. *See* Einarson A.
Tang OS, Ting Lau WN, Wai Chan CC, Ho PC. A prospective randomised comparison of sublingual and vaginal misoprostol in second trimester termination of pregnancy 1001
Tang OS. *See* Honkanen H.
Tappenden P. *See* Chilcott J.
Tappenden P. *See* Jones ML.
Tasaka K. *See* Takeda T.
Taub N. *See* Akkad A.
Taub N. *See* Shankar M.
Taylor DJ. *See* Kenyon S.
Taylor R. *See* Basu A.
Taylor-Robinson D. *See* Oakeshott P.
Teleman PM, Lidfeldt J, Nerbrand C, Samsioe G, Mattiasson A, the WHILA study group. Overactive bladder: prevalence, risk factors and relation to stress incontinence in middle-aged women 600
Temple KI. *See* Mulik VV.
Templeton A. Challenges of fertility treatment in the UK 1161
Templeton A. *See* Hamoda H.
Templeton A. *See* Norman JE.
Templeton A. *See* Shetty A.
Templeton A. *See* Skea Z.
Tentoni S, Astolfi P, De Pasquale A, Zonta LA. Birthweight by gestational age in preterm babies according to a Gaussian mixture model 31
ter Kuile MM. *See* Maas CP.
Terada Y. *See* Murakami T.
Thakar R, Ayers S, Georgakapolou A, Clarkson P, Stanton S, Manyonda I. Hysterectomy improves quality of life and decreases psychiatric symptoms: a prospective and randomised comparison of total *versus* subtotal hysterectomy 1115
Thakar RB. *See* Manyonda I.
Thakare H. *See* Saha TK.
Thalabard J-C. *See* Ruano R.
The safety of ondansetron for nausea and vomiting of pregnancy: a prospective comparative study 940
Thilaganathan B. *See* Prefumo F.
Thirumalaikumar L. *See* Sinha A.
Thomas J. *See* Jermy K.
Thomas K. *See* Miller L.
Thomson A. *See* Foy R.
Thornton J. 'Free' peer-review publishing 515
Thornton J. Beginning our second century 1
Thornton J. Protocol for the...trial 762
Thornton J. Registering trial protocols with *BJOG* 637
Thornton JG. Editor's note 195
Thornton JG. *See* Bhattacharya S.
Tidy J. *See* Pisal N.
Ting Lau WN. *See* Tang OS.
Tippett C. *See* Hodges R.
Todros T, Massarenti I, Gaglioti P, Biolcati M, Botta G, De Felice C. Fetal short femur length in the second trimester and the outcome of pregnancy 83
Tong S, Egan V, Wallace EM. Fetal activin A: associations with labour, umbilical artery pH and neonatal outcome 326
Topatan B. *See* Celebioglu B.
Topuz B. *See* Zeitlin J.
Torgerson D. The use of Zelen's design in randomised trials 2
Torres-Sánchez L, López-Carrillo L, Espinoza H, Langer A. Is induced abortion a contributing factor to tubal infertility in Mexico? Evidence from a case–control study 1254
Torvaldsen S. *See* Roberts CL.
Treisser A. *See* Burguet A.
Trew G. *See* Sacks G.
Trew GH. *See* El-Shawarby SA.
Tricarico C. *See* Sgambati E.

Trichopoulos D. *See* Mucci LA.
Trimbos JB. *See* Maas CP.
Troendle J. *See* Zhang J.
Truffert P. *See* Burguet A.
Trujillo Carrillo JL, Alvarez M, Padilla A, Mederos JI. Symptomatic hepatic polycystic disease and pregnancy 1146
Tsahalina E, Crawford R. Laparoscopic surgery following abdominal wall reconstruction: description of a novel method for safe entry 1452
Tsaltas J. *See* Mayooran Z.
Tsatsaris V. *See* Demaria F.
Tsoi E. *See* Akmal S.
Tsui MHY, Ngan Kee WD, Ng FF, Lau TK. A double blinded randomised placebo-controlled study of intramuscular pethidine for pain relief in the first stage of labour 648
Tuijnman CC. *See* Maas CP.
Turner CF. *See* El-Shawarby SA.
Twaddle S. *See* Norman JE.
Tydén T. *See* Larsson M.

Vader HL. *See* Pop VJ.
Vale L. *See* Foy R.
Valsky DV. *See* Porat S.
van der Bom JG. *See* Roovers J-P WR.
van der Houwen C, Rietbroek RC, Lok CAR, Kate-Booij MJT, Lammes FB, Ansink AC. Feasibility of central co-ordinated EMA/CO for gestational trophoblastic disease in the Netherlands 143
Van der Ploeg T. *See* Hakvoort RA.
van der Vaart CH. *See* Roovers J-P WR.
van Gemund N, Scherjon S, le Cessie S, van Leeuwen JHS, van Roosmalen J, Kanhai HHH. A randomised trial comparing low dose vaginal misoprostol and dinoprostone for labour induction 42
van Kerrebroeck P, Abrams P, Lange R, Slack M, Wyndaele J-J, Yalcin I, Bump RC, for the Duloxetine Urinary Incontinence Study Group Duloxetine *versus* placebo in the treatment of European and Canadian women with stress urinary incontinence 249
van Leeuwen JHS. *See* Roovers J-P WR.
van Leeuwen JHS. *See* van Gemund N.
Van Peperstraten AM. *See* Johnson NP.
van Rooij IALM. *See* Krapels IPC.
van Roosmalen J. *See* van Gemund N.
Varma R, Gupta JK. Failed sterilisation: evidence-based review and medico-legal ramifications 1322
Varma R. *See* Papaioannou S.
Vathanan V. *See* Dissanayake VHW.
Vatish M. *See* Keay SD.
Vatten L. *See* Mucci LA.
Vatten LJ, Skjærven R. Is pre-eclampsia more than one disease? 298
Veerareddy S, Sriemevan A, Cockburn JF, Overton TG. Non-surgical management of a mid-trimester abdominal pregnancy 281
Vercellini P, Chapron C, Fedele L, Gattei U, Daguati R, Crosignani PG. Evidence for asymmetric distribution of lower intestinal tract endometriosis 1213
Vermes A. *See* Hanff LM.
Verstandig A. *See* Bloom AI.
Vial Y. *See* Morales M.
Viardot C. *See* Morales M.
Viikki M. *See* Nieminen P.
Visser GHA. *See* Kerssen A.
Visser GHA. *See* Oudijk MA.
Visser W. *See* Hanff LM.
Vodovar V. *See* Khoshnood B.
Vollebregt A. *See* Hakvoort RA.
Volumenie J-L. *See* Burc L.
von Hertzen H. *See* Honkanen H.
Voyer M. *See* Burguet A.
Vuillard E. *See* Burc L.
Vulto AG. *See* Hanff LM.
Vuorma S. *See* Nieminen P.

Wahab M, Al-Azzawi F. Questioning the ubiquity of outpatient endometrial sampling in the management of menstrual disorders 391
Wai Chan CC. *See* Tang OS.
Wald NJ, Rodeck C, Hackshaw AK, Rudnicka A. SURUSS in perspective 521
Waldenström U. *See* Gottvall K.
Walker AE. *See* Foy R.
Walker I. *See* Williamson C.
Walker JJ. *See* Moore S.
Walker MC, Murphy KE, Pan S, Yang Q, Wen SW. Adverse maternal outcomes in multifetal pregnancies 1294
Wallace EM. *See* Loose JM.
Wallace EM. *See* Tong S.
Waller J. *See* McCaffery K.
Walraven G, Dampha Y, Bittaye B, Sowe M, Hofmeyr J. Misoprostol in the treatment of postpartum haemorrhage in addition to routine management: a placebo randomised controlled trial 1014
Walther T, Stepan H, Pankow K, Gembardt F, Faber R, Schultheiss H-P, Siems W-E. Relation of ANP and BNP to their N-terminal fragments in fetal circulation: evidence for enhanced neutral endopeptidase activity and resistance of BNP to neutral endopeptidase in the fetus 452
Ward JW. *See* Loose JM.
Wardle J. *See* McCaffery K.
Wardle PG. *See* Akande VA.
Warner P. *See* Guise J.
Waterfield A. *See* Reed H.
Weijenborg PhThM. *See* Maas CP.
Weiner Z, Beck-Fruchter R, Weiss A, Hujirat Y, Shalev E, Shalev SA. Thrombophilia and stillbirth: possible connection by intrauterine growth restriction 780
Weiner Z. *See* Daniel-Spiegel E.
Weiss A. *See* Weiner Z.
Weissman AM, Hartz AJ, Hansen MD, Johnson SR. The natural history of primary dysmenorrhoea: a longitudinal study 345
Weitoft GR. *See* Olausson PO.
Wells G. *See* Eason E.
Wen SW. *See* Walker MC.
Wessels PH. *See* Prollius A.
Westerling R. *See* Larsson M.
Wevers RA. *See* Krapels IPC.
WHILA study group. *See* Teleman PM.
Whitby EH, Paley MNJ, Sprigg A, Rutter S, Davies NP, Wilkinson ID, Griffiths PD. Comparison of ultrasound and magnetic resonance imaging in 100 singleton pregnancies with suspected brain abnormalities 784
Whittaker JC. *See* Balchin I.
WHO Research Group on Post-Ovulatory Methods for Fertility Regulation. *See* Honkanen H.
Wight J. *See* Chilcott J.
Wight J. *See* Jones ML.
Wijma B. *See* Hilden M.
Wijma B. *See* Swahnberg K.
Wijnen H. *See* Pop VJ.
Wildman K, Bouvier-Colle M-H, the MOMS Group. Maternal mortality as an indicator of obstetric care in Europe 164
Wilkinson ID. *See* Whitby EH.
Willan A. *See* Su M.
Williams B. *See* Skea Z.
Williams DJ. *See* Lupton MGF.
Williams KP, Singh A. Umbilical artery blood gas parameters in neonates with early onset seizures who die 1042
Williams S. *See* Saha TK.
Williamson C, Hems LM, Goulis DG, Walker I, Chambers J, Donaldson O, de Swiet M, Johnston DG. Clinical outcome in a series of cases of obstetric cholestasis identified via a patient support group 676

Williamson C. *See* Gorelik J.
Williamson C. *See* Miller NM.
Willock J. *See* Guise J.
Wilson L. *See* Griffiths M.
Wingren G. *See* Swahnberg K.
Winikoff B. *See* Ngoc NTN.
Winter R. *See* Afschar P.
Witham AD. *See* Grimes DA.
Witoonpanich P. *See* Phupong V.
Wojnarowska F. *See* Cooper SM.
Wong KS. *See* Lam KW.
Wong SF. *See* Lam CM.
Wong TY. *See* Lam CM.
Woodward J, Kelly SM. A pilot study for a randomised controlled trial of waterbirth *versus* land birth 537
Woolfson AD. *See* Zawislak AA.
Wray J. *See* Chilcott J.
Wray J. *See* Jones ML.
Wright C. *See* Bell R.
Wright M. *See* Steinwall M.
Wu O. *See* Norman JE.
Wu SC. *See* Honkanen H.
Wyatt K. *See* Garside R.
Wyatt KM, Dimmock PW, Ismail KMK, Jones PW, Shaughn O'Brien PM. The effectiveness of GnRHa with and without 'add-back' therapy in treating premenstrual syndrome: a meta analysis 585
Wykes CB, Clark TJ, Khan KS. Accuracy of laparoscopy in the diagnosis of endometriosis: a systematic quantitative review 1204.
Wyndaele J-J. *See* van Kerrebroeck P.

Yagel S. *See* Porat S.
Yalcin I. *See* van Kerrebroeck P.
Yang J-H. *See* Chen M-J.
Yang Q. *See* Walker MC.
Yang Y-S. *See* Chen M-J.
Yisa SB, Okenwa AA, Husemeyer RP. Treatment of endometriotic catamenial haemoptysis with etonogestrel subdermal implant 385
Yoshinaga K. *See* Murakami T.
Yu WC. *See* Lam CM.
Yu Y. *See* Johnson NP.

Zaki MM, Pandit M, Jackson S. National survey for intrapartum and postpartum bladder care: assessing the need for guidelines 874
Zappoli Thyrion GD. *See* Sgambati E.
Zawislak AA, McCarron PA, McCluggage WG, Price JH, Donnelly RF, McClelland HR, Dobbs SP, Woolfson AD. Successful photodynamic therapy of vulval Paget's disease using a novel patch-based delivery system containing 5-aminolevulinic acid 1143
Zeitlin J, Bucourt M, Rivera L, Topuz B, Papiernik E. Preterm birth and maternal country of birth in a French district with a multiethnic population 849
Zhang J, Troendle J, Meikle S, Klebanoff MA, Rayburn WF. Isolated oligohydramnios is not associated with adverse perinatal outcomes 220
Zielhuis GA. *See* Krapels IPC.
Zimmermann R. *See* Ochsenbein-Kölble N.
Zonta LA. *See* Tentoni S.
Zorn JR. *See* Papageorgiou TC.
Zusterzeel PLM. *See* Raijmakers MTM.

Subject Index

Ablation, endometrial
  cost-utility analysis of microwave and thermal balloon endometrial ablation techniques for the treatment of heavy menstrual bleeding, 1103
  randomised controlled trial of bipolar radio-frequency endometrial ablation and balloon endometrial ablation, 1095
Abortion. *See also* Pregnancy termination
  induced
    is induced abortion a contributing factor to tubal infertility in Mexico? Evidence from a case-control study, 1254
    randomised controlled trial of a tailored multifaceted strategy to promote implementation of a clinical guideline on induced abortion care, 726
  medical
    analgesia requirements and predictors of analgesia use for women undergoing medical abortion up to 22 weeks of gestation, 996
    is home-base administration of prostaglandin safe and feasible for medical abortion? Results from a multisite study in Vietnam, 814
    WHO multinational study of three misoprostol regimens after mifepristone for early medical abortion. II: Side effects and women's perceptions, 715
  midtrimester
    mifepristone and misoprostol *versus* dilation and evacuation for midtrimester abortion: a pilot randomised controlled trial, 148
  use of oral misoprostol for pre-abortion cervical priming: a randomised controlled trial of 400 *versus* 200 µg in first trimester pregnancies, 154
Abuse. *See also* Domestic violence
  sexual
    history of sexual abuse and health: a Nordic multicentre study, 1121
  women's perceived experiences of abuse in the health care system: their relationship to childhood abuse, 1429
Activin A
  fetal activin A: associations with labour, umbilical artery pH and neonatal outcome, 326
  hypoxia induced activin secretion by the fetoplacental unit: differential responses related to gestation, 1346
Adrenal hyperplasia
  reduced maternal dexamethasone dosage for the prenatal treatment of congenital adrenal hyperplasia, 176
Amnioexchange
  amniotic fluid inflammatory proteins and digestive compounds profile in fetuses with gastroschisis undergoing amnioexchange, 292
Analgesia
  analgesia requirements and predictors of analgesia use for women undergoing medical abortion up to 22 weeks of gestation, 996
  efficacy of preemptive analgesia for wound pain after laparoscopic operations in infertile women: a randomised, double-blind and placebo control study, 340
  epidural
    delayed *versus* early pushing in women with epidural analgesia: a systematic review and meta-analysis, 1333
  rectal
    rectal analgesia for the relief of perineal pain after childbirth: a randomised controlled trial of diclofenac suppositories, 1059
ANP
  relation of ANP and BNP to their N-terminal fragments in fetal circulation: evidence for enhanced neutral endopeptidase activity and resistance of BNP to neutral endopeptidase in the fetus, 452
Antenatal clinics, teenage
  teenage antenatal clinics may reduce the rate of preterm birth: a prospective study, 571
Antisepsis
  antisepsis for abdominal hysterectomy: a randomised controlled trial of povidone-iodine gel, 695
Appendicectomy
  perforated 26 weeks pregnant uterus at appendicectomy, 628
Aromatase inhibitor
  treatment of severe recurrent endometriosis with an aromatase inhibitor in a young ovariectomised woman, 182
Artery thrombus
  fatal mesenteric artery thrombus following oocyte retrieval, 1301
Assisted reproductive technology
  survey of the attitudes of infertile and parous women toward the availability of assisted reproductive technology, 1229
Atosiban
  prospective randomised trial of atosiban *versus* hexoprenaline for acute tocolysis and intrauterine resuscitation, 316
Atrium polypropylene mesh
  transvaginal repair of anterior and posterior compartment prolapse with Atrium polypropylene mesh, 831
Azoospermia
  assisted reproduction in the azoospermic couple, 1190
  should cryopreserved epididymal or testicular sperm be recovered from obstructive azoospermic men for ICSI?, 1289

B streptococcal infection
  early-onset group B streptococcal infection in London: 1990–1999, 1006
Baby friendly hospital initiative
  baby friendly hospital initiative: where next?, 198
Birth rates
  preterm
    are reported preterm birth rates reliable? An analysis of interhospital differences in the calculation of the weeks of gestation and preterm birth rate, 160
Birthweight
  birthweight by gestational age in preterm babies according to a Gaussian mixture model, 31
  intergenerational study of birthweight: investigating the birth order effect, 377
Bladder care
  national survey for intrapartum and postpartum bladder care assessing the need for guidelines, 874
Bladder neck mobility
  prevalence of bladder neck mobility in asymptomatic non-pregnant nulliparous volunteers, 172
Bladder, overactive
  how much is enough and who says so? The case of the King's Health Questionnaire and overactive bladder, 605
  overactive bladder: prevalence, risk factors and relation to stress incontinence in middle-aged women, 600
Bladder volumes, total
  intrapartum ultrasound estimation of total bladder volume, 103
Blair Bell Research Society
  abstracts presented at the competition meeting of the Blair Bell Research Society on the 4–5th December 2003 at the Royal College Obstetricians and Gynaecologists, London, 1148
BNP
  relation of ANP and BNP to their N-terminal fragments in fetal circulation: evidence for enhanced neutral endopeptidase activity and resistance of BNP to neutral endopeptidase in the fetus, 452
Breast abscess
  incidence of breast abscess in lactating women: report from an Australian cohort, 1378
Breech presentation
  low concentrations of maternal thyroxin during gestation: a risk factor of breech presentation?, 925
Bupivicaine
  randomised double-blind comparison of epidural fentanyl *versus* fentanyl and bupivicaine for pain relief in the second stage of labour, 1075

Caesarean section
caesarean section is protective against stress urinary incontinence: an analysis of women with multiple deliveries, 754
higher order repeat caesarean sections: how safe are five or more?, 1090
outcome after a high number (4–10) of repeated caesarean sections, 561
planned caesarean section decreases the risk of adverse perinatal outcome due to both labour and delivery complications in the Term Breech Trial, 1065
relationship between delivery mode and mortality in very low birthweight singleton vertex-presenting infants, 1365
spontaneous delivery or manual removal of the placenta during caesarean section: a randomised controlled trial, 908
ultrasonographic occiput position in early labour in the prediction of caesarean section, 532
Cancer
ovarian
increased levels of gangliosides in the plasma and ascitic fluid of patients with advanced ovarian cancer, 613
ovarian cancer detected non-invasively by contrast-enhanced power Doppler ultrasound, 619
Cancer, cervical
comparison of HPV test *versus* conventional and automation-assisted Pap screening as potential screening tools for preventing cervical cancer, 842
pretreatment tumour volume measurement on high-resolution magnetic resonance imaging as a predictor of survival in cervical cancer, 741
role of clinical follow up in early stage cervical cancer in South Wales, 1444
Care
birth centre
safety of birth centre care: perinatal mortality over a 10-year period, 71
bladder
national survey for intrapartum and postpartum bladder care assessing the need for guidelines, 874
intrapartum
are women's expectations and preferences for intrapartum care affected by the model of care on offer?, 550
maternity
do maternity care provider groups have different attitudes towards birth?, 1388
perinatal
globalisation and perinatal health care, 889
postnatal
home-based *versus* hospital-based postnatal care: a randomised trial, 807
postpartum
home-based care after a shortened hospital stay *versus* hospital-based care postpartum: an economic evaluation, 800
Catheterisation, urinary bladder
how long should urinary bladder catheterisation be continued after vaginal prolapse surgery? A randomised controlled trial comparing short term *versus* long term catheterisation after vaginal prolapse surgery, 828
Cephalic version, external
external cephalic version induced fetal cerebral and umbilical blood flow changes are related to the amount of pressure exerted, 430
Cervical intraepithelial neoplasia
needle *versus* loop diathermy excision of the transformation zone for the treatment of cervical intraepithelial neoplasia: a randomised controlled trial, 748
Cervical screening
cervical screening in women over the age of 50: results of a population-based multicentre study, 362
comparison of HPV test *versus* conventional and automation-assisted Pap screening as potential screening tools for preventing cervical cancer, 842
improving the quality of cervical screening, 960
pretreatment tumour volume measurement on high-resolution magnetic resonance imaging as a predictor of survival in cervical cancer, 741
Cervical smears, abnormal
randomised controlled trial of cytological surveillance *versus* patient choice between surveillance and colposcopy in managing mildly abnormal cervical smears, 63
Chlamydia
evaluation of economics and acceptability of screening for *Chlamydia trachomatis* infection, in women attending antenatal, abortion, colposcopy and family planning clinics in Scotland, UK, 1261
management of genital chlamydial infections at termination of pregnancy services in England and Wales: where are we now?, 1408
Cholestasis
clinical outcome in a series of cases of obstetric cholestasis identified via a patient support group, 676
comparison of the arrhythomogenic effects of tauro- and glyconconjugates of cholic acid in an *in vitro* study of rat cardiomyocytes, 867
gestational
randomised controlled trial of ursodeoxycholic acid and *S*-adenosyl-L-methionine in the treatment of gestational cholestasis, 17
an unusual gestational choriocarcinoma occurring primarily on the surface of a subserous leiomyoma, 188
Choriocarcinoma, gestational
gestational choriocarcinoma: an unusual presentation with response to gemcitabine and surgery, 382
Cleft lip
myo-inositol, glucose and zinc status as risk factors for non-syndromic cleft lip with or without cleft palate in offspring: a case-control study, 661
Colposcopy
smear-taking at
video monitoring of smear-taking at colposcopy: relationship to cytology, 967
Colposuspension
randomised trial comparing open Burch colposuspension using sutures with laparoscopic colposuspension using mesh and staples in women with stress urinary incontinence, 974
Consultation
student presence in
women's experience of student presence in consultations for problematic uterine bleeding, 871
Contraceptives, oral. *See also* Emergency contraceptive pills
ex vivo analysis of HIV-1 co-receptors at the endocervical mucosa of women using oral contraceptives, 1468
prospective study of pregravid oral contraceptive use in relation to fetal growth, 989
Cord prolapse
fetal survival after conservative management of cord prolapse for three weeks, 1476
Cytokine gene polymorphisms
investigation into the association among preterm birth, cytokine gene polymorphisms and periodontal disease, 125
Cytology
video monitoring of smear-taking at colposcopy: relationship to cytology, 967
Cytomegalovirus
intrauterine therapy for cytomegalovirus-infected symptomatic fetus, 756

Delivery mode
relationship between delivery mode and mortality in very low birthweight singleton vertex-presenting infants, 1365
Depression
postnatal
preventing postnatal depression in mothers of very preterm infants: a randomised controlled trial, 641
postpartum
prevalence, nature, severity and correlated of postpartum depressive symptoms in Vietnam, 1353
Dexamethasone
reduced maternal dexamethasone dosage for the prenatal treatment of congenital adrenal hyperplasia, 176
Diabetes mellitus
day-to -day glucose variability during pregnancy in women with Type 1 diabetes mellitus: glucose profiles measured with the Continuous Glucose Monitoring System, 919

Diamorphine
diamorphine for pain relief in labour: a randomised controlled trial comparing intramuscular injection and patient-controlled analgesia, 1081
Dilation
mifepristone and misoprostol *versus* dilation and evacuation for midtrimester abortion: a pilot randomised controlled trial, 148
Dinoprostone
randomised trial comparing low dose vaginal misoprostol to dinoprostone for labor induction, 42
Diverticulum, colonic
transection of colonic diverticulum during enterocele repair, 1485
Domestic violence. *See also* Abuse
domestic violence: prevalence and association with gynaecological symptoms, 1128
prevalence of domestic violence when midwives routinely enquire in pregnancy, 441
spousal physical violence against women during pregnancy, 682
Down's Syndrome
Down's Syndrome screening: confusion or consensus, 517
population-based evaluation of the impact o antenatal screening for Down's Syndrome in France, 1981–2000, 485
women and professionals' preferences for Down's Syndrome screening tests: a conjoint analysis study, 775
Duloxetine
duloxetine *versus* placebo in the treatment of European and Canadian women with stress urinary incontinence, 249
Dysmenorrhoea
natural history of primary dysmenorrhoea: a longitudinal study, 345

Eclampsia. *See also* Pre-eclampsia
is pre-eclampsia more than one disease?, 298
T594 mutation of the epithelial sodium channel β-subunit gene in pre-eclampsia and eclampsia in Black South African women, 1012
Electrosurgery
ignorance of electrosurgery among obstetricians and gynaecologists, 1413
Embolisation, arterial
arterial embolisation for persistent primary postpartum haemorrhage: before or after hysterectomy?, 880
pre-myomectomy uterine artery embolisation minimises operative blood loss, 1039
uterine
case of generalised oedema secondary to uterine artery embolisation for leiomyomata, 179
evaluation of the effect of uterine artery embolisation on menstrual blood loss and uterine volume, 700
uterine artery embolisation for symptomatic fibroids: the effect of the large uterus on outcome, 239
Embolism, amniotic fluid
transient intracardiac thrombi in amniotic fluid embolism, 506
Embryo transfer
bed rest *versus* free mobilisation following embryo transfer: a prospective randomised study, 1273
Emergency contraceptive pills
emergency contraceptive pills in Sweden: evaluation of an information campaign, 820
Endometrial polyps
Ki-67, Bcl-2 and p53 expression in endometrial polyps and in the normal endometrium during the menstrual cycle, 1242
Endometriosis
accuracy of laparoscopy in the diagnosis of endometriosis: a systematic quantitative review, 1204
current practice for the laparoscopic diagnosis and treatment of endometriosis: a national questionnaire survey of consultant gynaecologists in UK, 1269
evidence for asymmetric distribution of lower intestinal tract endometriosis, 1213
rectovaginal
pain, quality of life and complications following the radical resection of rectovaginal endometriosis, 353
treatment of severe recurrent endometriosis with an aromatase inhibitor in a young ovariectomised woman, 182
Endometrium
growth of
defining endometrial growth during the menstrual cycle with three-dimensional ultrasound, 944
Ki-67, Bcl-2 and p53 expression in endometrial polyps and in the normal endometrium during the menstrual cycle, 1242
validity of transvaginal ultrasound measurement of endometrial thickness: a comparison of ultrasound measurement with direct anatomical measurement, 1419
Endopeptidase, neutral
relation of ANP and BNP to their N-terminal fragments in fetal circulation: evidence for enhanced neutral endopeptidase activity and resistance of BNP to neutral endopeptidase in the fetus, 452
Evans syndrome
Evans syndrome and pregnancy: a case report, 274
Evisceration
bowel evisceration through a ring pessary, 1023

Femur length, fetal short
fetal short femur length in the second trimester and the outcome of pregnancy, 83
Fentanyl
randomised double-blind comparison of epidural fentanyl *versus* fentanyl and bupivicaine for pain relief in the second stage of labour, 1075
Fertility. *See* Infertility; Subfertility
Fertility treatment. *See also* Embryo transfer; ICSI; IVF
assisted reproduction in the azoospermic couple, 1190
challenges of fertility treatment in the UK, 1161
evidence base for current infertility treatment, 1163
survey of the attitudes of infertile and parous women toward the availability of assisted reproductive technology, 1229
Fetal death
trends in the cause of late fetal death, 1982–200, 1400
Fetal nasal bones
maternal ethnic origin and fetal nasal bones at 11–14 weeks of gestation, 109
Fibroids
symptomatic
uterine artery embolisation for symptomatic fibroids: the effect of the large uterus on outcome, 239
uterine
controversies and challenges in the modern management of uterine fibroids, 95
rapidly growing uterine fibroid postpartum, 503
Fistula, obstetric vesico-vaginal
prevention of residual urinary incontinence following successful repair of obstetric vesico-vaginal fistula using a fibro-muscular sling, 357
FSH
low dose recombinant FSH treatment may reduce multiple gestations caused by controlled ovarian hyperstimulation and intrauterine insemination, 1277
pregnancy following monofollicular ovulation induction with recombinant FSH, recombinant LH and timed coitus in an amenorrheic woman with long-standing hypogonadotrophic hypogonadism, 1481

Gangliosides
increased levels of gangliosides in the plasma and ascitic fluid of patients with advanced ovarian cancer, 613
Gastroschisis
amniotic fluid inflammatory proteins and digestive compounds profile in fetuses with gastroschisis undergoing amnioexchange, 292
Gemcitabine
gestational choriocarcinoma: an unusual presentation with response to gemcitabine and surgery, 382

Gender reassignment
use of McCartney tube during total laparoscopic hysterectomy for gender reassignment: a report of two cases, 277
Genital warts
treatment of external genital warts with 5% imiquimod cream during pregnancy: a case report, 1475
Gitelman Syndrome
is normalisation of serum potassium and magnesium always necessary in Giltman Syndrome for a successful obstetric outcome?, 630
GnRH
effectiveness of GnRHs with and without 'add-back' therapy in treating premenstrual syndrome: a meta analysis, 585
Granulomatous disease
keratin induced granulomatous disease of the vagina mimicking a malignant tumour, 389

haemoptysis, endometriotic catamenial
treatment of endometriotic catamenial haemoptysis with etonogestrel subdermal implant, 385
Haemorrhage
arterial embolisation for persistent primary postpartum haemorrhage: before or after hysterectomy?, 880
postpartum
misoprostol in the treatment of postpartum haemorrhage in addition to routine management: a placebo randomised controlled trial, 1014
prolonged treatment of massive postpartum haemorrhage with recombinant factor VIIa: case report and review of the literature, 284
successful reduction of massive postpartum haemorrhage by use of guidelines and staff education, 495
hCG
role of hCG in reproductive medicine, 1218
Heart disease
pregnancy outcome in women with heart disease undergoing induction of labour, 669
Hepatic polycystic disease
symptomatic hepatic polycystic disease and pregnancy, 1146
Hepatitis viruses
no association between hepatitis B or C viruses and vulval lichen planus in a UK population, 271
Hernia, congenital diaphragmatic
three-dimensional ultrasonographic assessment of fetal lung volume as prognostic factor in isolated congenital diaphragmatic hernia, 423
Hexoprenaline
prospective randomised trial of atosiban *versus* hexoprenaline for acute tocolysis and intrauterine resuscitation, 316
HIV-1
ex vivo analysis of HIV-1 co-receptors at the endocervical mucosa of women using oral contraceptives, 1468
perinatal transmission of
perinatal HIV-1 transmission among low income women participants in the HIV/AIDS Control Program in Southern Brazil: a cohort study, 579
Hormone replacement therapy. *See also* Oestrogen therapy
utilisation of hormone replacement therapy in the United Kingdom. A descriptive study using the general practice research database, 369
Horner's syndrome
postpartum Horner's syndrome, 86
Hull & Rutherford classification system
predictive value of the 'Hull & Rutherford' classification for tubal damage, 1236
Hyperemesis gravidarum
sex ratio of pregnancies complicated by hospitalisation for hyperemesis gravidarum, 27
Hyperstimulation, ovarian
management of ovarian hyperstimulation due to follicle-stimulating hormone-secreting gonadotroph adenoma, 1297
Hypertension
gestational
importance of genetic and environmental effects for pre-eclampsia and gestational hypertension: a family study, 200
impact of guidelines on mild hypertension in pregnancy: time series analysis, 765
VEGF expression in the placenta from pregnancies complicated by hypertensive disorders, 564
Hyponatraemia
severe hyponatraemia and pre-eclampsia, 1020
Hypoxia
effects of intrapartum hypoxia on the fetal QT interval, 656
maternal hypoxia associated with nifedipine for threatened preterm labour, 380
Hysterectomy
antisepsis for abdominal hysterectomy: a randomised controlled trial of povidone-iodine gel, 695
hysterectomy improves quality of life and decreases psychiatric symptoms: a prospective and randomised comparison of total *versus* subtotal hysterectomy, 1115
laparoscopic
use of McCartney tube during total laparoscopic hysterectomy for gender reassignment: a report of two cases, 277
national survey of senior trainees surgical experience in hysterectomy and attitudes to the place of vaginal hysterectomy, 877
objective assessment of sexual arousal in women with a history of hysterectomy, 456
sever complication of hysterectomy: the VALUE study, 688
women's perceptions of decision-making about hysterectomy, 133
Hysteroscopy
outpatient
delivering an effective outpatient service in gynaecology. A randomised controlled trial analysing the cost of outpatient *versus* daycase hysteroscopy, 243
randomised comparison of distension media for outpatient hysteroscopy, 57

ICSI
inhibin B and anti-Mullerian hormone: markers of ovarian response in IVF/ICSI patients?, 1248
should cryopreserved epididymal or testicular sperm be recovered from obstructive azoospermic men for ICSI?, 1289
Infertility
NICE fertility guideline: good new for infertile couples, but who pays the bill?, 197
tubal
is induced abortion a contributing factor to tubal infertility in Mexico? Evidence from a case-control study, 1254
Integrated testing
psychological aspects of integrated testing, 519
Intrauterine growth restriction, isolated
neuurokinin B and nitric oxcide plasma levels in pre-eclampsia and isolated intrauterine growth restriction, 1046
Intrauterine therapy
intrauterine therapy for cytomagalovirus-infected symptomatic fetus, 756
levonorgestrel-releasing
use of levonorgestrel-releasing intrauterine system for treatment of menorrhagia in women with inherited bleeding disorders, 1425
Ischemic necrosis of the uterus
partial ischemic necrosis of the uterus following a uterine brace compression suture, 279
IVF
inhibin B and anti-Mullerian hormone: markers of ovarian response in IVF/ICSI patients?, 1248
reconstruction, destruction and IVF: dilemmas in the art of tubal surgery, 1174

Keratin
keratin induced granulomatous disease of the vagina mimicking a malignant tumour, 389

Ketanserin
ketanserin in pre-eclamptic patients: transplacental transmission and disposition in neonates, 863
King's Health Questionnaire
how much is enough and who says so? The case of the King's Health Questionnaire and overactive bladder, 605

Labour
carbohydrate solution intake during labour just before the start of the second stage: a double-blind study on metabolic effects and clinical outcome, 1382
pain control during
diamorphine for pain relief in labour: a randomised controlled trial comparing intramuscular injection and patient-controlled analgesia, 1081
double blinded randomised placebo-controlled study of intramuscular pethidine for pain relief in the first stage of labour, 648
randomised double-blind comparison of epidural fentanyl *versus* fentanyl and bupivicaine for pain relief in the second stage of labour, 1075
Labour induction
for how long should oxytocin be continued during labour induction?, 331
pregnancy outcome in women with heart disease undergoing induction of labour, 669
randomised comparison of oral misoprostol and vaginal prostaglandin E_2 tablets in labour induction at term, 436
randomised trial comparing low dose vaginal misoprostol and dinoprostone for labour induction, 42
risks of induction of labour in women with uterine scar from previous low transverse caesarean section, 1394
self-induction of labour using misoprostol: an unusual case of uterine hyperstimulation, 1018
Land birth
pilot study for a randomised controlled trial of waterbirth *versus* land birth, 537
Laparoscopy
accuracy of laparoscopy in the diagnosis of endometriosis: a systematic quantitative review, 1204
current practice for the laparoscopic diagnosis and treatment of endometriosis: a national questionnaire survey of consultant gynaecologists in UK, 1269
efficacy of preemptive analgesia for wound pain after laparoscopic operations in infertile women: a randomised, double-blind and placebo control study, 340
laparoscopic surgery following abdominal wall reconstruction: description of a novel method for safe entry, 1452
use of McCartney tube during total laparoscopic hysterectomy for gender reassignment: a report of two cases, 277
Leiomyomata
case of generalised oesema secondary to uterine artery embolisation for leiomyomata, 179
LLETZ
needle *versus* loop diathermy excision of the transformation zone for the treatment of cervical intraepithelial neoplasia: a randomised controlled trial, 748

Magnetic resonance imaging
comparison of ultrasound and magnetic resonance imaging in 100 singleton pregnancies with suspected brain abnormalities, 784
Maternal morbidity
quantifying severe maternal morbidity: a Scottish population study, 481
rural home
maternal morbidity during labour and the puerperium in rural homes and the need for medical attention: a prospective observational study in Gadchiroli, India, 231
Maternal mortality
maternal mortality as an indicator of obstetric care in Europe, 164
qualitative study of conceptions and attitudes regarding maternal mortality among traditional birth attendants in rural Guatemala, 1372
teenage mother
premature death among teenage mothers, 793
Matrix metalloproteinases
role of matrix metalloproteinases in vascular function: implications for normal pregnancy and pre-eclampsia, 931
Menorrhagia
use of levonorgestrel-releasing intrauterine system for treatment of menorrhagia in women with inherited bleeding disorders, 1425
von Willebrand disease in women with menorrhagia: a systematic review, 734
Menstrual disorders
cost-utility analysis of microwave and thermal balloon endometrial ablation techniques for the treatment of heavy menstrual bleeding, 1103
in developing countries
epidemiology of menstrual disorders in developing countries: a systematic review, 6
Mifepristone
misoprostol and
mifepristone and misoprostol *versus* dilation and evacuation for midtrimester abortion: a pilot randomised controlled trial, 148
WHO multinational study of three misoprostol regimens after mifepristone for early medical abortion. II: Side effects and women's perceptions, 715
Miscarriage
expectant or surgical management of miscarriage: a qualitative study,
Misoprostol
mifepristone and
mifepristone and misoprostol *versus* dilation and evacuation for midtrimester abortion: a pilot randomised controlled trial, 148
misoprostol in the treatment of postpartum haemorrhage in addition to routine management: a placebo randomised controlled trial, 1014
pre-abortion cervical priming
use of oral misoprostol for pre-abortion cervical priming: a randomised controlled trial of 400 versus 200 μg in first trimester pregnancies, 154
prospective randomised comparison of sublingual and vaginal misoprostol in second trimester termination of pregnancy, 1001
randomised comparison of oral misoprostol and vaginal prostaglandin E_2 tablets in labour induction at term, 436
self-induction of labour using misoprostol: an unusual case of uterine hyperstimulation, 1018
WHO multinational study of three misoprostol regimens after mifepristone for early medical abortion. II: Side effects and women's perceptions, 715
Monoamniotic twin pregnancies
monoamniotic twin pregnancies: antenatal management and perinatal results of 19 consecutive cases, 22
Motherhood, safer
new global efforts for safer motherhood, 397
Multicentre trials
recruitment to multicentre trials, 3
Multiple births
dramatic reduction in triplet and higher order births in England and Wales, 856
Mycoplasma genitalium
prevalence of *Mycoplasma genitalium* in early pregnancy and relationship between its presence and pregnancy outcome, 1464

Neonate mortality
umbilical artery blood gas parameters in neonates with early onset seizures who die, 1042
NETZ
needle *versus* loop diathermy excision of the transformation zone for the treatment of cervical intraepithelial neoplasia: a randomised controlled trial, 748

NICE fertility guideline
NICE fertility guideline: good new for infertile couples, but who pays the bill?, 197
Nifedipine
maternal hypoxia associated with nifedipine for threatened preterm labour, 380

Obstetric surgery
informed consent for elective and emergency surgery: questionnaire study, 1133
measuring the need for life-saving obstetric surgery in developing countries, 1027
Occipito-posterior position
recurrent persistent occipito posterior position in subsequent deliveries, 170
Oestrogen therapy
long term effects of oestrogen therapy on bone loss in postmenopausal women: a 23 year prospective study, 335
Oligohydramnios
isolated oligohydramnios is not associated with adverse perinatal outcomes, 220
Ondansetron
safety of ondansetron for nausea and vomiting of pregnancy a prospective comparative study, 940
ONO-8815Ly
ONO-8815Ly, an EP2 agonist that markedly inhibits uterine contractions in women, 120
Oocyte retrieval
fatal mesenteric artery thrombus following oocyte retrieval, 1301
Outpatient service
delivering an effective outpatient service in gynaecology. A randomised controlled trial analysing the cost of outpatient *versus* daycase hysteroscopy, 243
Ovulation induction
pregnancy following monofollicular ovulation induction with recombinant FSH, recombinant LH and timed coitus in an amenorrheic woman with long-standing hypogonadotrophic hypogonadism, 1481
Oxytocin
for how long should oxytocin be continued during labour induction?, 331
mRNA
oxytocin mRNA content in the endometrium of non-pregnant women, 266

Paget's disease
successful photodynamic therapy of vulval Paget's disease using a novel patch-based delivery system containing 5-aminolevulinic acid, 1143
Papillomavirus
testing positive for human papillomavirus in routine cervical screening: examination of psychosocial impact, 1437
Parenchymal echogenicity, brain
obstetric risk factors and persistent increases in brain parenchymal echogenicity in preterm infants, 913
Pelvic floor dysfunction
pelvic floor dysfunction in women after pelvic trauma, 499
Periconceptional folic acid
evidence for suboptimal use of periconceptional folic acid supplements globally, 399
Perineal pain
after childbirth
rectal analgesia for the relief of perineal pain after childbirth: a randomised controlled trial of diclofenac suppositories, 1059
Periodontal disease
cytokine gene polymorphisms and
investigation into the association among preterm birth, cytokine gene polymorphisms and periodontal disease, 125
Pethidine, intramuscular
double blinded randomised placebo-controlled study of intramuscular pethidine for pain relief in the first stage of labour, 648
Placental insufficiency
fetal responses to placental insufficiency: an update, 1031
Prednisolone
infant cortisol response after prolonged antenatal prednisolone treatment, 1471
Pre-eclampsia. *See also* Eclampsia
blood pressure and urinalysis are often omitted in women who have suffered pre-eclampsia at their six-week postnatal check, 623
importance of genetic and environmental effects for pre-eclampsia and gestational hypertension: a family study, 200
ketanserin in pre-eclamptic patients: transplacental transmission and disposition in neonates, 863
neuurokinin B and nitric oxcide plasma levels in pre-eclampsia and isolated intrauterine growth restriction, 1046
role of matrix metalloproteinases in vascular function: implications for normal pregnancy and pre-eclampsia, 931
severe hyponatraemia and pre-eclampsia, 1020
T594 mutation of the epithelial sodium channel β-subunit gene in pre-eclampsia and eclampsia in Black South African women, 1012
thiol status and antioxidant capacity in women with a history of severe pre-eclampsia, 207
Pregnancies
abdominal
expulsion of fetal bones throughout the rectum after abdominal pregnancy, 626
non-surgical management of a mid-trimester abdominal pregnancy, 281
adrenal artery rupture in pregnancy, 185
blood pressure measurements in
cross sectional study of automated blood pressure measurements throughout pregnancy, 319
blood pressure monitoring in
automated self-initiated blood pressure or 24-hour ambulatory blood pressure monitoring in pregnancy, 38
cervical
successful treatment of a cervical pregnancy by intracervical vasopressin, 387
domestic violence during
prevalence of domestic violence when midwives routinely enquire in pregnancy, 441
ectopic
hysteroscopic diagnosis of interstitial ectopic pregnancies, 89
preventing ectopic pregnancies: how often does transperitoneal transmigration of sperm occur in effecting human pregnancy?, 706
ethics of research on pregnant women: is maternal consent sufficient?, 1307
Evans syndrome and pregnancy: a case report, 274
fetal short femur length in the second trimester and outcome of pregnancy, 83
glucose variability during
day-to -day glucose variability during pregnancy in women with Type 1 diabetes mellitus: glucose profiles measured with the Continuous Glucose Monitoring System, 919
high altitude
maternal cardiac function during pregnancy at high altitude, 1051
interstitial
conservative management of interstitial pregnancy, 1283
monoamniotic twin
monoamniotic twin pregnancies: antenatal management and perinatal results of 19 consecutive cases, 22
multifetal
adverse maternal outcomes in multifetal pregnancies, 1294
multiple
how should randomised trials including multiple pregnancies be analysed?, 213
low dose recombinant FSH treatment may reduce multiple gestations caused by controlled ovarian hyperstimulation and intrauterine insemination, 1277

nausea and vomiting in
safety of ondansetron for nausea and vomiting of pregnancy a prospective comparative study, 940
prevalence of bladder neck mobility in asymptomatic non-pregnant nulliparous volunteers, 172
prevalence of *Mycoplasma genitalium* in early pregnancy and relationship between its presence and pregnancy outcome, 1464
respiratory function in
respiratory function in pregnancy at sea level and at high altitude, 311
sex ratio of
sex ratio of pregnancies complicated by hospitalisation for hyperemesis gravidarum, 27
smoking in
complex relationship between smoking in pregnancy and very preterm delivery. Results of the Epipage study, 258
teenage
teenage pregnancy: a problem or what?, 763
twin
deterioration in cord blood gas status during the second stage of labour is more rapid in the second twin than in the first twin, 546
Pregnancy termination. *See also* Abortion
prospective randomised comparison of sublingual and vaginal misoprostol in second trimester termination of pregnancy, 1001
routine ultrasound for pregnancy termination requests increases women's choice and reduces inappropriate treatments, 79
use of oral misoprostol for pre-abortion cervical priming: a randomised controlled trial of 400 *versus* 200 μg in first trimester pregnancies, 154
Pre-implantation genetic testing, 1165
Premenstrual syndrome
effectiveness of GnRHs with and without 'add-back' therapy in treating premenstrual syndrome: a meta analysis, 585
soy, fat and other dietary factors in relation to premenstrual symptoms in Japanese women, 594
Preterm birth
accuracy of various tests for bacterial vaginosis in predicting preterm birth: a systematic review, 409
birthweight by gestational age in preterm babies according to a Gaussian mixture model, 31
complex relationship between smoking in pregnancy and very preterm delivery. Results of the Epipage study, 258
investigation into the association among preterm birth, cytokine gene polymorphisms and periodontal disease, 125
obstetric risk factors and persistent increases in brain parenchymal echogenicity in preterm infants, 913
preterm birth and maternal country of birth in a French district with a multiethnic population, 849
preventing postnatal depression in mothers of very preterm infants: a randomised controlled trial, 641
teenage antenatal clinics may reduce the rate of preterm birth: a prospective study, 571
Primigravida broad ligament rupture
prelabour rupture of the broad ligament in a primigravida, 181
Prolapse surgery
randomised controlled trial comparing abdominal and vaginal prolapse surgery: effects on urogenital function, 50
transvaginal repair of anterior and posterior compartment prolapse with Atrium polypropylene mesh, 831
vaginal
how long should urinary bladder catheterisation be continued after vaginal prolapse surgery? A randomised controlled trial comparing short term *versus* long term catheterisation after vaginal prolapse surgery, 828
Prophylaxis, antenatal anti-D
economics of routine entenatal anti-D prophylaxis for pregnant women who ar rhesus negative, 903
review of the clinical effectiveness of routine antenatal anti-D prophylaxis for rhesus-negative women who are pregnant, 892
Prostaglandin
is home-base administration of prostaglandin safe and feasible for medical abortion? Results from a multisite study in Vietnam, 814
Prostaglandin E_2, vaginal
randomised comparison of oral misoprostol and vaginal prostaglandin E_2 tablets in labour induction at term, 436
Proteinuria
urine protein heat coagulation test-a useful screening test for proteinuria in pregnancy in developing countries: a method validation study, 491

QT interval
effects of intrapartum hypoxia on the fetal QT interval, 656
Questionnaire administration. *See also* King's Health Questionnaire
relationship between urinary symptom questionnaires and urodynamic diagnosis: an analysis of two methods of questionnaire administration, 468

Research jobs
research jobs: how good is the training?, 1454
Retardation
in utero growth
ponderal index is a poor predictor of *in utero* growth retardation, 113
Rhabdomyoma, cardiac
ventricular outflow obstruction, valve aplasia, bradyarrhythmia, pulmonary hypoplasia and non-immune fetal hydrops because of a large rhabdomyoma in a case of unknown tuberous sclerosis: a prenatal diagnosed cardiac rhabdomyoma with multiple symptoms, 1478
Rhesus haemolytic disease
non-protein bound iron and free radical damage in fetuses with rhesus haemolytic disease: influence of intrauterine transfusions, 303

S-adenosyl-L-methionine
randomised controlled trial of ursodeoxycholic acid and *S*-adenosyl-L-methionine in the treatment of gestational cholestasis, 17
Scapular winging
scapular winging after vaginal delivery, 758
Screening, antenatal
population-based evaluation of the impact of antenatal screening for Down's syndrome in France, 1981–2000, 485
Septicaemia
fatal septicaemia following rupture of a gangrenous fibroid, 1141
Severe acute respiratory syndrome
case-controlled study comparing clinical course and outcomes of pregnant and non-pregnant women with severe acute respiratory syndrome, 771
Sexual arousal
objective assessment of sexual arousal in women with a history of hysterectomy, 456
Sphincter ani
rupture of the sphincter ani: the recurrence rate in second delivery, 1361
STARD checklist
evidence-based obstetric and gynaecologic diagnosis: the STARD checklist for authors, peer-reviewers and readers of test accuracy, 638
Sterilisation
failed sterilisation: evidence-based review and medico-legal ramifications, 1322
Stillbirth
thrombophilia and stillbirth: possible connection by intrauterine growth restriction, 780
unadjusted and customised weight centiles in the identification of growth restriction among stillborn infants, 1460
Streptococcus, group B
antenatal screening and intrapartum management of Group B Streptococcus in the UK, 226
Subfertility
tubal evaluation in the investigation of subfertility: A structured comparison of tests, 1313
SURUSS
SURUSS in perspective, 521

Term Breech Trial
planned caesarean section decreases the risk of adverse perinatal outcome due to both labour and delivery complications in the Term Breech Trial, 1065
Thrombophilia
thrombophilia and stillbirth: possible connection by intrauterine growth restriction, 780
Thyroxin
low concentrations of maternal thyroxin during gestation: a risk factor of breech presentation?, 925
Translational research
where is translational research?, 395
Trial information
what do they know?: a content analysis of women's perceptions of trial information, 1341
Trophoblastic disease, gestational
feasibility of central co-ordinated EMA/CO for gestational trophoblastic disease in the Netherlands, 143
gestational trophoblastic disease: is intensive follow up essential in all women?, 1449
Tubal surgery
predictive value of the 'Hull & Rutherford' classification for tubal damage, 1236
reconstruction, destruction and IVF: dilemmas in the art of tubal surgery, 1174
Twin-to-twin transfusion syndrome
twin-to-twin transfusion syndrome: treatment with endoscopic laser surgery or serial amnio-reduction, 1305

Ultrasound
comparison of ultrasound and magnetic resonance imaging in 100 singleton pregnancies with suspected brain abnormalities, 784
defining endometrial growth during the menstrual cycle with three-dimensional ultrasound, 944
Doppler
ovarian cancer detected non-invasively by contrast-enhanced power Doppler ultrasound, 619
intrapartum
intrapartum ultrasound estimation of total bladder volume, 103
three-dimensional ultrasonographic assessment of fetal lung volume as prognostic factor in isolated congenital diaphragmatic hernia, 423
ultrasonographic occiput position in early labour in the prediction of caesarean section, 532
validity of transvaginal ultrasound measurement of endometrial thickness: a comparison of ultrasound measurement with direct anatomical measurement, 1419
Urinary incontinence
caesarean section is protective against stress urinary incontinence: an analysis of women with multiple deliveries, 754
definition of mild, moderate and severe incontinence on the 24-hour pad test, 859
is physical activity influenced by urinary incontinence?, 475
overactive bladder: prevalence, risk factors and relation to stress incontinence in middle-aged women, 600
prevention of residual urinary incontinence following successful repair of obstetric vesico-vaginal fistula using a fibro-muscular sling, 357
randomised trial comparing open Burch colposuspension using sutures with laparoscopic colposuspension using mesh and staples in women with stress urinary incontinence, 974
stress
duloxetine *versus* placebo in the treatment of European and Canadian women with stress urinary incontinence, 249
Urine protein heat coagulation test
urine protein heat coagulation test-a useful screening test for proteinuria in pregnancy in developing countries: a method validation study, 491
Urogenital function
randomised controlled trial comparing abdominal and vaginal prolapse surgery: effects on urogenital function, 50
Ursodeoxycholic acid
randomised controlled trial of *S*-adenosyl-L-methionine and ursodeoxycholic acid in the treatment of gestational cholestasis, 17
Uterine contractions
junctional zone of the uterus and its contractions, 1182
ONO-8815Ly, an EP2 agonist that markedly inhibits uterine contractions in women, 120
Uterine nerve ablation
laparoscopic
double-blind randomised controlled trial of laparoscopic uterine nerve ablation for women with chronic pelvic pain, 950
Uterus, perforated
perforated 26 weeks pregnant uterus at appendicectomy, 628

Vaginal misoprostol
randomised trial comparing low dose vaginal misoprostol to dinoprostone for labour induction, 42
Vaginal tape
tension-free vaginal tape in older women, 837
Vaginosis
accuracy of various tests for bacterial vaginosis in predicting preterm birth: a systematic review, 409
randomised treatment trial of bacterial vaginosis to prevent post-abortion complication, 982
VALUE study, 688
Varicella infection
persistent maternal viremia after varicella infection during pregnancy as a possible cause of false positive prenatal diagnosis of fetal infection on amniotic fluid, 885
Vasodilation
magnesium-induced vasodilation in the dorsal hand vein, 446
Vasopressin, intracervical
successful treatment of a cervical pregnancy by intracervical vasopressin, 387
VEGF
VEGF expression in the placenta from pregnancies complicated by hypertensive disorders, 564
VIIa recombinant growth factor
prolonged treatment of massive postpartum haemorrhage with recombinant factor VIIa: case report and review of the literature, 284
von Willebrand disease
von Willebrand disease in women with menorrhagia: a systematic review, 734
Vulval lichen planus
no association between hepatitis B or C viruses and vulval lichen planus in a UK population, 271

Waterbirth
pilot study for a randomised controlled trial of waterbirth *versus* land birth, 537
Williams syndrome
two pregnancies in a woman with Williams syndrome, 511

Zelen's designs
use of Zelen's designs in randomised trials, 2